PROFESSIONAL T8 INTELLIGENT DIAGNOSTIC SCANNER Quick Start Guide

Access User Manual Online

1. Select Toolbox.

| ICO | 🚺 Diagnos | tics | | | | | |
|-----|-----------|-------------|---|----------|---|-------------|--|
| | | | | | | | |
| | | SMOG & OBD2 | | | | | |
| | Ē | RECORDS | | | | | |
| | (!) | TPMS INFO | | | | | |
| | * | UPDATE | | | | DIAGNOSTICS | |
| | ¢ | SETTINGS | 1 | | | | |
| | X | TOOLBOX | | | | | |
| | | | | | | | |
| | | ភ្នៃ | G | B | R | £ | |

2. Select Help.



3. Select User Manual





Scanner

- 1. USB Type-A Port (Data)
- 2. USB Type-C Port (Power/Data)
- 3. Power (on/off)
- 4. Front Camera

2 5. 8" Touch Screen 6. Microphone 7. Stylus 8. Rear 6 👡 Camera тΒ 9. Speaker 5 10.Adjustable Kickstand 20 8 9 10

Wireless Scan Module (WSM)

3

- 1. OBDII Diagnostics Cable Port
- 2. USB Type-C Port
- 3. Scanner Communication Indicator
- 4. Vehicle Communication Indicator
- 5. Power Indicator







Accessories Included



Installation Instructions

Without DoIP Cable

- 1. Locate vehicle's Data Link Connector (DLC).
- 2. Connect OBDII Diagnostics Cable to DLC.
- 3. Connect OBDII Diagnostics Cable to WSM.



With DoIP Cable

- 1. Connect DoIP Cable to DLC.
- 2. Connect Scanner to DoIP Cable.
- 3. Connect OBDII Diagnostics Cable to DoIP Cable.
- 4. Connect OBDII Diagnostics Cable to WSM.



