


# Owner's Manual & Safety Instructions

**Save This Manual** Keep this manual for the safety warnings and precautions, assembly, operating, inspection, maintenance and cleaning procedures. Write the product's serial number in the back of the manual near the assembly diagram (or month and year of purchase if product has no number). Keep this manual and the receipt in a safe and dry place for future reference.

22g

# Kenway™

## LICENSE PLATE LIGHT



Visit our website at: <http://www.harborfreight.com>

Email our technical support at: [productsupport@harborfreight.com](mailto:productsupport@harborfreight.com)

When unpacking, make sure that the product is intact and undamaged. If any parts are missing or broken, please call 1-888-866-5797 as soon as possible.

Copyright © 2022 by Harbor Freight Tools®. All rights reserved.

No portion of this manual or any artwork contained herein may be reproduced in any shape or form without the express written consent of Harbor Freight Tools. Diagrams within this manual may not be drawn proportionally. Due to continuing improvements, actual product may differ slightly from the product described herein. Tools required for assembly and service may not be included.

### **⚠ WARNING**

Read this material before using this product. Failure to do so can result in serious injury. **SAVE THIS MANUAL.**

## Specifications

Overall Dimensions	1-1/4" L x 2-1/2" W x 1" H
Mounting Holes	1/8" diameter and 2" apart at centers
Electrical Requirements	12VDC
Amperage Draw	0.11 Amps

## Important Safety Information

### Assembly Precautions

1. Assemble only according to these instructions. Improper assembly can create hazards.
2. Wear ANSI-approved safety goggles and heavy-duty work gloves during assembly.
3. Keep assembly area clean and well lit.
4. Keep bystanders out of the area during assembly.
5. Do not assemble when tired or when under the influence of alcohol, drugs or medication.
6. **Replacement parts and accessories.** When servicing, use only identical replacement parts. Use of any other parts will void the warranty.
7. **Always check hardware and assembled parts after assembling.** All connections should be tight and hardware tightened.
8. Weight capacity and other product capabilities apply to properly and completely assembled product only.

### Use Precautions

1. This product is not a toy. Do not allow children to play with or near this item.
2. Use as intended only.
3. Inspect before every use; do not use if parts are loose or damaged.
4. **Use the right product for the job.** There are certain applications for which the Lamp was designed.
5. **Follow all local DMV (Department of Motor Vehicles) laws regarding vehicles and vehicle lighting requirements.**
6. **Do not cut or rewire any part of the Lamp.**
7. **Make certain the vehicle is turned off before doing any maintenance.**
8. The warnings, cautions, and instructions discussed in this instruction manual cannot cover all possible conditions and situations that may occur. It must be understood by the operator that common sense and caution are factors which cannot be built into this product, but must be supplied by the operator.
9. Maintain product labels and nameplates. These carry important safety information. If unreadable or missing, contact Harbor Freight Tools for a replacement.

## Installation Instructions



Read the **ENTIRE IMPORTANT SAFETY INFORMATION** section at the beginning of this document including all text under subheadings therein before set up or use of this product.

If you do not have experience doing this type of electrical work, the job should be done by an automotive service technician.

**WARNING: TO PREVENT SERIOUS INJURY: Turn OFF vehicle's engine and disconnect the battery before doing the installation or maintenance the Light.**

1. Place the Light in position to illuminate the license plate. Use it as a template to mark the two side mounting holes and center hole for the wires.
2. Drill a 1/4" diameter center hole for the wires and feed them through the hole.

**Note:** If desired, two holes may be pre-drilled using 1/8" bit (sold separately) for the mounting screws.

3. Use a pin connector or in-line splice connector (sold separately) to connect the Light to your vehicle.

4. When using an in-line splice connector, it is not necessary to strip the wires.
  - a. Insert the wire from your vehicle into one channel of the in-line splice connector.
  - b. Insert the wire extending from the lamp into the second channel of the in-line splice connector.
  - c. Fold down the tab on the in-line splice connector to make the connection.
5. Wire the Light to the vehicle's tail light wires. Connect the white wire NEGATIVE (-) to ground and the black wire POSITIVE (+) to +12v of the battery.
6. Once the wires are properly connected, reconnect the battery and test the Light before mounting it in place.
7. Turn off ignition/battery.
8. Connect the Light to the vehicle using the two included ST4.2 x 20mm screws.
9. Make certain the Light is well seated and the ground screw makes proper contact with a metal surface.

## Limited 90 Day Warranty

Harbor Freight Tools Co. makes every effort to assure that its products meet high quality and durability standards, and warrants to the original purchaser that this product is free from defects in materials and workmanship for the period of 90 days from the date of purchase. This warranty does not apply to damage due directly or indirectly, to misuse, abuse, negligence or accidents, repairs or alterations outside our facilities, criminal activity, improper installation, normal wear and tear, or to lack of maintenance. We shall in no event be liable for death, injuries to persons or property, or for incidental, contingent, special or consequential damages arising from the use of our product. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation of exclusion may not apply to you. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS.

To take advantage of this warranty, the product or part must be returned to us with transportation charges prepaid. Proof of purchase date and an explanation of the complaint must accompany the merchandise. If our inspection verifies the defect, we will either repair or replace the product at our election or we may elect to refund the purchase price if we cannot readily and quickly provide you with a replacement. We will return repaired products at our expense, but if we determine there is no defect, or that the defect resulted from causes not within the scope of our warranty, then you must bear the cost of returning the product.

This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

### Record Serial Number Here:

---

**Note:** If product has no serial number, record month and year of purchase instead.

**Note:** Replacement parts are not available for this item. Specify UPC 193175477965 when referring to this item.

The logo for Kenway, featuring the brand name in a stylized, bold, italicized font with a horizontal line underneath.

26677 Agoura Road • Calabasas, CA 91302 • 1-888-866-5797