

Owner's Manual & Safety Instructions

Save This Manual Keep this manual for the safety warnings and precautions, assembly, operating, inspection, maintenance and cleaning procedures. Write the product's serial number in the back of the manual near the assembly diagram (or month and year of purchase if product has no number). Keep this manual and the receipt in a safe and dry place for future reference.

luminar **WORK**™

ITEM 67651

100 WATT | 120 VOLT **CLAMP LIGHT** WITH ALUMINUM REFLECTOR



Visit our website at: <http://www.harborfreight.com>

Email our technical support at: productsupport@harborfreight.com

REV 14g

When unpacking, make sure that the product is intact and undamaged. If any parts are missing or broken, please call 1-888-866-5797 as soon as possible.

Copyright© 2010 by Harbor Freight Tools®. All rights reserved. No portion of this manual or any artwork contained herein may be reproduced in any shape or form without the express written consent of Harbor Freight Tools. Diagrams within this manual may not be drawn proportionally. Due to continuing improvements, actual product may differ slightly from the product described herein. Tools required for assembly and service may not be included.

⚠WARNING

**Read this material before using this product.
Failure to do so can result in serious injury.
SAVE THIS MANUAL.**

Specifications

Electrical Requirements	120 VAC / 60 Hz
Power Cord	18AWG - SPT-2, 6' Length
Reflector Size	8-1/2" Diameter x 7" High
Required Bulb (Not Included)	Maximum 100 Watt, 120 Volt, Type A Bulb



IMPORTANT SAFETY INSTRUCTIONS

This portable lamp has a polarized plug (one blade is wider than the other) as a feature to reduce the risk of electric shock. This plug will fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician.

Never use with an extension cord unless plug can be fully inserted. Do not alter the plug.

CAUTION: To reduce the risk of fire - use 100 watt or smaller, 120 Volt, Type A lamp. (See Figure A.)




Figure A

Note: Dry location use only.

Set-Up Precautions

1. Set-up only according to these instructions. Improper set-up can create hazards.
2. Wear ANSI-approved safety goggles during set-up.
3. Do not set-up this product when tired or when under the influence of drugs, alcohol or medication.

Use Precautions

1. This product is not a toy. Do not allow children to play with or near this item.
2. Use for intended purpose(s) only.
3. Inspect before use; do not use if parts are loose or damaged.
4. Maintain product labels and nameplates. These carry important safety information. If unreadable or missing, contact Harbor Freight Tools for a replacement.
5. Make sure to turn off the Clamp Light and unplug the unit from its electrical outlet when unattended.
6. Avoid accidental burns. Do not touch the bulb (not included) or the Reflector while the Clamp Light is turned on. Turn off the Clamp Light and wait until the bulb and Housing are completely cool before touching.
7. Avoid eye injury. Do not look directly into the bulb when operating this product.
8. Do not operate the Clamp Light with a damaged or missing Reflector.
9. **WARNING:** The cord of this product contains lead, a chemical known to the State of California to cause cancer, and birth defects or other reproductive harm. Wash hands after handling. (California Health & Safety Code § 25249.5, *et seq.*)
10. Turn off the Clamp Light, unplug its Power Cord from its electrical outlet, and allow it to completely cool down prior to storing or performing any inspection, maintenance, or cleaning.

Operating Instructions




Figure B

1. Screw the Reflector onto the Light Bulb Socket.
2. Firmly screw in a 100 Watt, 120 Volt, Type A bulb (not included). **(See Figure B)**
3. Use the Spring Clamp to clamp the Light firmly onto the desired object, making sure the object being clamped onto is capable of supporting the weight of the Clamp Light. **(See Figure B)**
4. Adjust the Clamp Light so that its beam will center on the object intended to be illuminated.
5. Plug the Power Cord into the nearest 120 volt, grounded, electrical outlet. **(See Figure B)**
6. Turn the Clamp Light on by pressing its Power Switch. **(See Figure B)**
7. When finished using the Clamp Light, press the Power Switch to turn off the Light, unplug its Power Cord from its electrical outlet, and allow it to completely cool down prior to removal/storage.
8. When storing, make sure to keep the Clamp Light in a clean, dry, safe location out of reach of children and other unauthorized persons.

luminar **WORK**™

Record Serial Number Here: _____

Note: If product has no serial number, record month and year of purchase instead.

Note: Replacement parts are not available.

Limited 90 Day Warranty

Harbor Freight Tools Co. makes every effort to assure that its products meet high quality and durability standards, and warrants to the original purchaser that this product is free from defects in materials and workmanship for the period of 90 days from the date of purchase. This warranty does not apply to damage due directly or indirectly, to misuse, abuse, negligence or accidents, repairs or alterations outside our facilities, criminal activity, improper installation, normal wear and tear, or to lack of maintenance. We shall in no event be liable for death, injuries to persons or property, or for incidental, contingent, special or consequential damages arising from the use of our product. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation of exclusion may not apply to you. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS.

To take advantage of this warranty, the product or part must be returned to us with transportation charges prepaid. Proof of purchase date and an explanation of the complaint must accompany the merchandise. If our inspection verifies the defect, we will either repair or replace the product at our election or we may elect to refund the purchase price if we cannot readily and quickly provide you with a replacement. We will return repaired products at our expense, but if we determine there is no defect, or that the defect resulted from causes not within the scope of our warranty, then you must bear the cost of returning the product.

This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

