

Owner's Manual & Safety Instructions

Save This Manual Keep this manual for the safety warnings and precautions, assembly, operating, inspection, maintenance and cleaning procedures. Write the product's serial number in the back of the manual near the assembly diagram (or month and year of purchase if product has no number). Keep this manual and the receipt in a safe and dry place for future reference.



Imitation Dome Security Camera with LED



Visit our website at: <http://www.harborfreight.com>
Email our technical support at: productsupport@harborfreight.com

ITEM 95154

REV 14c

When unpacking, make sure that the product is intact and undamaged. If any parts are missing or broken, please call 1-888-866-5797 as soon as possible.

Copyright© 2006 by Harbor Freight Tools®. All rights reserved.

No portion of this manual or any artwork contained herein may be reproduced in any shape or form without the express written consent of Harbor Freight Tools. Diagrams within this manual may not be drawn proportionally. Due to continuing improvements, actual product may differ slightly from the product described herein. Tools required for assembly and service may not be included.

⚠WARNING

**Read this material before using this product.
Failure to do so can result in serious injury.
SAVE THIS MANUAL.**

Specifications

Batteries Required	2 x AA Batteries (not included)
Overall Dimensions	4-5/8" D X 3" H
Mounting Hole Spacing	2.659" (67.59 mm) center to center

SAFETY WARNINGS AND PRECAUTIONS

WARNING: When using this product, basic safety precautions should always be followed to reduce the risk of personal injury and damage to equipment.

Read all instructions before using this product!

- 1. Keep work area clean and well lit.**
Cluttered areas invite injuries.
- 2. Observe work area conditions.** Do not use the Imitation Dome Camera in damp or wet locations. Don't expose to rain. Do not use electrically powered products in the presence of flammable gases or liquids.
- 3. Keep children away.** Children must never be allowed in the work area. Do not let them handle the Imitation Dome Camera. This product is not a toy.
- 4. Use the right product for the job.** Do not modify this product and do not use this product for a purpose for which it was not intended.
- 5. Dress properly.** Protective, electrically non conductive clothes and nonskid footwear are recommended when working. Wear restrictive hair covering to contain long hair.
- 6. Use eye protection.** Always wear ANSI-approved impact safety goggles during installation.
- 7. Maintain with care.** Keep the Imitation Dome Camera clean for better and safer performance.
- 8. Stay alert.** Watch what you are doing, use common sense. Do not install the Imitation Dome Camera when you are tired.
- 9. Check for damaged parts.** Before using the Imitation Dome Camera, any part that appears damaged should be carefully checked to determine that it will operate properly and perform its intended function. Check for any broken parts or mounting fixtures; and any other condition that may affect proper operation. Any part that is damaged should be properly repaired or replaced by a qualified technician.
- 10. Replacement parts and accessories.** When servicing, use only identical replacement parts. Use of any other parts will void the warranty. Only use accessories intended for use with this product. Approved accessories are available from Harbor Freight Tools.
- 11. Do not install the Imitation Dome Camera if under the influence of alcohol or drugs.** Read warning labels if taking prescription medicine to determine if your judgment or reflexes are impaired while taking drugs. If there is any doubt, do not install the unit.
- 12. Only use AA-Batteries.** Always properly dispose of used batteries in accordance to the guidelines for waste disposal in your community.
- 13.** The warnings, precautions, and instructions discussed in this instruction manual cannot cover all possible conditions and situations that may occur. It must be understood by the operator that common sense and caution are factors which cannot be built into this product, but must be supplied by the operator.

Battery Installation

1. Remove the battery cover by pressing in on the upper lip of the cover then pull it out.
2. Place two AA Batteries in the Battery Housing. Be sure that the polarities (+ or -) of the batteries line up with the polarity signs in the battery housing. Replace the battery cover.
3. The light will automatically blink in 5 second intervals until the batteries go dead. When the light stops blinking, replace the batteries.

Camera Installation

1. Chose a wall or ceiling location that allows you to mount the unit onto a solid surface capable of sustaining the weight of the unit. It is recommended that you choose a location that is out of the reach of pedestrians.

Note: Verify that installation surface has no hidden utility lines before drilling or driving screws.

2. You can make a pattern of the mounting holes by placing a piece of tracing paper over the back of the Camera and trace the mounting holes location using a pen or pencil. Hold the pattern over the area that you want to install the camera. Mark the center of each mounting hole by hammering a nail through the pattern into the mounting surface. Attach the screws to the mounting surface leaving about a 1/4" of the screws' shanks exposed.
3. After the mounting screws have been attached to the wall or ceiling, place the two mounting holes on the camera over the screw heads. Press the Dome Camera over the screw heads and move the camera so that the screws are secured in the keyholes.

Note: The mounting holes on the Imitation Dome Camera are approximately 1/4" with 5/32" slots.

Note: There are no replacement parts available for this product.




Figure A

Limited 90 Day Warranty

Harbor Freight Tools Co. makes every effort to assure that its products meet high quality and durability standards, and warrants to the original purchaser that this product is free from defects in materials and workmanship for the period of 90 days from the date of purchase. This warranty does not apply to damage due directly or indirectly, to misuse, abuse, negligence or accidents, repairs or alterations outside our facilities, criminal activity, improper installation, normal wear and tear, or to lack of maintenance. We shall in no event be liable for death, injuries to persons or property, or for incidental, contingent, special or consequential damages arising from the use of our product. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation of exclusion may not apply to you. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS.

To take advantage of this warranty, the product or part must be returned to us with transportation charges prepaid. Proof of purchase date and an explanation of the complaint must accompany the merchandise. If our inspection verifies the defect, we will either repair or replace the product at our election or we may elect to refund the purchase price if we cannot readily and quickly provide you with a replacement. We will return repaired products at our expense, but if we determine there is no defect, or that the defect resulted from causes not within the scope of our warranty, then you must bear the cost of returning the product.

This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

