



# STEEL BOOK SAFE SMALL

**Model 95815**

# STEEL BOOK SAFE LARGE

**Model 95814**

## ASSEMBLY AND OPERATION INSTRUCTIONS



### ⚠ WARNING

This gun safe does not meet the safety standards for gun safes specified in California Penal Code Section 12088.2. It does not satisfy the requirements of Penal Code Section 12088.1, which mandates that all firearms sold in California be accompanied by a firearms safety device or proof of ownership, as required by law, of a gun safe that meets the Section 12088.2 minimum safety standards developed by the California Attorney General.

### ⚠ ADVERTENCIA

Esta caja fuerte para pistolas no cumple con las normas de seguridad para las cajas fuertes para pistolas especificadas en la Sección 12088.2 del Código Penal de California. No satisface los requisitos de la Sección 12088.1 del Código Penal, que requiere que todas las armas de fuego que se vendan en California estén acompañadas por un dispositivo de seguridad de armas de fuego o prueba de propiedad, como lo requiere la ley, de una caja fuerte para pistolas que cumpla con las normas de seguridad mínimas elaboradas por el Procurador General de California, especificadas en la Sección 12088.2.

Due to continuing improvements, actual product may differ slightly from the product described herein.



3491 Mission Oaks Blvd., Camarillo, CA 93011

Visit our website at: <http://www.harborfreight.com>

**TO PREVENT SERIOUS INJURY, READ AND UNDERSTAND ALL WARNINGS AND INSTRUCTIONS BEFORE USE.**

Copyright© 2007 by Harbor Freight Tools®. All rights reserved. No portion of this manual or any artwork contained herein may be reproduced in any shape or form without the express written consent of Harbor Freight Tools.

**For technical questions or replacement parts, please call 1-800-444-3353.**

---

## SPECIFICATIONS

---

Small Steel Book Safe	6-7/16"L x 8-3/8"W x 3"H
Interior Dimensions	6-1/8"L x 7-7/8"W x 2-5/8"H
Lid Thickness	0.116"
Box/Frame Thickness	0.050"
Materials	Powered Coated Sheet Steel-One Interior Welded Hinge Cloth Covered to Simulate a Common Book
Description	A 3 Dial Combination Lock Secured by 2 Round Head Steel Chromed Rivets and Top Lid with a Double Hook that connects with Combo Lock for Secure Closure
Net Weight	2.4 Lbs.

Large Steel Book Safe	8-3/16"L x 9-7/8"W x 3"H
Interior Dimensions	7-7/8"L x 9-1/4"W x 2-5/8"H
Lid Thickness	0.116"
Box/Frame Thickness	0.050"
Materials	Powered Coated Sheet Steel- One Interior Welded Hinge Cloth Covered to Simulate a Common Book
Description	A 3 Dial Combination Lock Secured by 2 Round Head Steel Chromed Rivets and Top Lid with a Double Hook that connects with Combo Lock for Secure Closure
Net Weight	3.5 Lbs.

### Save This Manual

You will need this manual for the safety warnings and precautions, assembly, operating, inspection, maintenance and cleaning procedures, parts list and assembly diagram. Keep your invoice with this manual. Write the invoice number on the inside of the front cover. Write the product's serial number in the back of the manual near the assembly diagram, or write month and year of purchase if product has no number. Keep this manual and invoice in a safe and dry place for future reference

## WARNINGS

1. Keep work area clean. Cluttered areas invite injuries.
2. Check for damaged parts. Before using any product, any part that appears damaged should be repaired by a qualified technician.
3. Carefully check to determine that it will operate properly and perform its intended function.
4. Check for any broken or damaged parts and any other conditions that may affect its operation.
5. Use of any other parts will void the warranty.
6. Keep children away. Do not allow children to play with the safe or safe codes.
7. Maintain product with care. Keep the Safe in a dry location. Do not expose to rain.
8. Use the right Safe for the situation. There are certain applications for which this Safe was designed. Do not modify this product and do not use this product for a purpose for which it was not intended.
9. Do not use the Safe if under the influence of alcohol or drugs. Read warning labels on prescriptions to determine if your judgement or reflexes are impaired while taking drugs. If there is any doubt, do not use the Safe.

## PERSONAL SAFETY

1. Fingers could be slammed by the lid of the Book Safe closing accidentally.
2. **Warning: Explosives or firearms should not be placed in the Steel Book Safe**

**Note:** Harbor Freight Tools is not responsible for the loss of any property stored within this safe due to theft, fire, or any other circumstance.

---

## UNPACKING

---

When unpacking, check to make sure that the item is intact and undamaged. If any parts are missing or broken, please call Harbor Freight Tools at the number shown on the cover of this manual as soon as possible.

---

## OPERATION INSTRUCTIONS


---

1. Your Book Safe (1) comes completely assembled. It is important that you read the entire manual to become familiar with the product BEFORE you setup and use the Safe.
2. The Steel Book Safe (1) is designed to resemble an ordinary book. A new cover can be applied to the outside if you so choose. (Not Provided).

---


## SETTING THE COMBINATION

---




**FIGURE 1**

1. To open the Book Safe (1), turn the Numbered Dial Lock (2) on all three dials, to the number ZERO. Lift the Lid. **See Figure 1.**



**FIGURE 2**



**FIGURE 3**

**FIGURE 4**

2. Inside of the Book Safe (1), on the back of the Lock, is a Lever with a red cap over it. Remove the cap before proceeding to step three. Replace the red cap after setting the combination. **(See Figure 2).**

3. Push that Lever “OVER and UP” - from B position to A position. **See Figures 3 & 4.**

**Note: Important:** You cannot change the Lever unless the Numbered Lock Dials (2) are on “0-0-0”

4. Rotate the three Numbered Lock Dials (2) to numbers you are familiar with such as a birth date or address. Record your personal numbers away from the Book Safe in a safe place. .

5. Do not disturb the new combination. Flip the Lever back into it’s original position - from A position to B position. **(See Figures 3 & 4).** Do this BEFORE closing the Book Lid. Shut the Lid and test to see if it is locked.

6. Once it is locked, and the Lid is secure, spin the dials (2) to “any number” to discourage easy opening. Without the code, a thief cannot access the contents in your Book Safe without breaking it open.

7. If you want to change to a new combination, repeat the steps 1 through 4.

8. **Warning: No device is completely theft proof.** This is not a place to keep explosives or firearms. The Steel Book Safe is not fire-proof or waterproof. Harbor Freight Tools is not responsible for lost or stolen articles.

## MAINTENANCE

1. Protect the Safe from moist or wet conditions. Moisture may cause damage in the dial or corrosion of the steel.

2. Occasionally wipe the safe and dial clean with a soft dry cloth or brush.

3. Occasionally apply a small amount of light oil or lock lubricant to the mechanical lock mechanism.

---

## PARTS LIST

---

Part	Description	Q'ty
1	Steel Book Safe - Small and Large	1
2	Numbered Dial Locks	3

There are no replacement parts for this product.

---

## LIMITED 90 DAY WARRANTY

---

Harbor Freight Tools Co. makes every effort to assure that its products meet high quality and durability standards, and warrants to the original purchaser that this product is free from defects in materials and workmanship for the period of 90 days from the date of purchase. This warranty does not apply to damage due directly or indirectly, to misuse, abuse, negligence or accidents, repairs or alterations outside our facilities, criminal activity, improper installation, normal wear and tear, or to lack of maintenance. We shall in no event be liable for death, injuries to persons or property, or for incidental, contingent, special or consequential damages arising from the use of our product. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation of exclusion may not apply to you. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS.

To take advantage of this warranty, the product or part must be returned to us with transportation charges prepaid. Proof of purchase date and an explanation of the complaint must accompany the merchandise. If our inspection verifies the defect, we will either repair or replace the product at our election or we may elect to refund the purchase price if we cannot readily and quickly provide you with a replacement. We will return repaired products at our expense, but if we determine there is no defect, or that the defect resulted from causes not within the scope of our warranty, then you must bear the cost of returning the product.

This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

**3491 Mission Oaks Blvd. • PO Box 6009 • Camarillo, CA 93011 • (800) 444-3353**