SAFETY DATA SHEET

Page 1 of 6 HFT-61672

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 5/13/2015 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name **1500 LB CAPACITY 120 VOLT AC ELECTRIC WINCH** 12 Chemical Name NA 1.3 Synonyms: P/N 61672 Badland Winches™ 1.4 Trade Names: Product Uses & Restrictions: 1.5 Lubricating Grease 1.6 Distributor's Name: Harbor Freight Tools USA, Inc. Distributor's Address: 1.7 26541 Agoura Road, Calabasas, CA 91302 USA 1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 676687) 19 Business Phone / Fax +1 (805) 388-1000 2. HAZARDS IDENTIFICATION Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS 2.1 according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). DANGER! MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. Classification: Asp. Tox. 1; Hazard Statements (H): H304 - May be fatal if swallowed and enters airways. H350 - May cause cancer. Precautionary Statements (P): P280 - Wear protective gloves/eye protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331 - Do NOT induce vomiting. P405 – Store locked up. P501 – Dispose of contents/ container to an approved waste disposal plant. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA ppm ppm ppm ES-FS-ES-CHEMICAL NAME(S) RTECS No EINECS No. TLV STEL PEAK PEL STEL IDLH OTHER CAS No. TWA STEL NA OIL MIST 60-100 NA NA NA NA (5) (10) (5) NA (5) NA BASE OIL Asp. Tox. 1; H304 NA 231-536-5 7620-77-1 3-7 15 NA NF NF NF NA 15 NA LITHIUM 12-HYDROXYSTEARATE NA NA NA 1-5 NA NA NF NF NF NA NA NA PROPRIETARY ADDITIVES QA4697000 215-263-9 0.1-1 NA NA NF NF NF NA NA NA 1317-33-5 MOLYBDENUM DISULFIDE Acute Tox. 4; H332 4. FIRST AID MEASURES DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control 4.1 First Aid: Ingestion: Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, Eyes: holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately. Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek Skin: prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned. Remove victim to fresh air at once. If breathing is difficult, administer supplemental oxygen and seek Inhalation: immediate medical attention. If breathing stops, perform artificial respiration. 4.2 Effects of Exposure: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Ingestion: May cause transient mild-eye irritation with short-term contact with liquid, spray or mist. Eyes: This product can cause mild, transient skin irritation with short-term exposure. This product can cause Skin: allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. No significant adverse health effects are expected to occur upon short-term exposure to this product. Inhalation: Aspiration of liquid into the lungs can cause severe lung damage or death.

43

4.4

4.5

4.6

47

5.1

5.2

5.3

6.1

7.1

72

7.3

8.1

Page 2 of 6 HFT-61672

1

1

0

В

SAFETY DATA SHEET Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 5/13/2015 4. FIRST AID MEASURES - cont'd Symptoms of Overexposure: Overexposure in eyes may cause redness, itching and watering. Eyes: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas The product Skin: can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. Acute Health Effects: Moderate irritation to eyes and skin near affected areas. Chronic Health Effects: Prolonged or repeated skin contact can cause mild irritation and inflammation characterized by drying, cracking, (dermatitis) or oil acne. Target Organs: Eyes, Skin, Respiratory System Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the HEALTH Aggravated by Exposure: target organs (eyes, skin, and respiratory system). FLAMMABILITY PHYSICAL HAZARDS **PROTECTIVE EQUIPMENT** EYES SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: This material can burn but will not readily ignite. This material will release vapors when heated above the flash point temperature that can ignite when exposed to a source of ignition. In enclosed spaces, heated vapor can ignite with explosive force. Mists or sprays may burn at temperatures below the flash point. Carbon dioxide, carbon monoxide, smoke, fumes, unburned hydrocarbons and trace oxides of sulfur, phosphorus and nitrogen. Also, depending upon the conditions of use, low concentrations of hydrogen sulfide can be released. Extinguishing Methods: Dry chemical, foam, carbon dioxide, and water fog. Firefighting Procedures: Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Avoid spraying water directly into storage containers because of danger of boil over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Spills Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of drains, municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Use normal hygiene practices. Avoid direct skin contact. Wash hands thoroughly after using this product and before eating, drinking, or smoking. Storage & Handling: Use and store in a cool, dry, well-ventilated area. Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Do not store in unmarked containers or storage devices. Recommended maximum shelf life: 36 months. Special Precautions: Empty containers may contain product residue. Do not pressurize, cut, heat or weld empty containers. Do not reuse empty containers without commercial cleaning or reconditioning. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: OTHER ACGIH NOHSC OSHA ppm (mg/m³) TLV STEL ES-TWA ES-STEL ES-PEAK PEL STEL IDLH CHEMICAL NAME(S) BASE OIL OIL MIST (5) (10)(5) NA NA (5) NA NA LITHIUM 12-HYDROXYSTEARATE 15 NA NF NF NF NΑ 15 NA

8.2

SAFETY DATA SHEET

Page 3 of 6 HFT-61672

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 5/13/2015

8. EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd Ventilation & Engineering Controls: The use of mechanical dilution ventilation is recommended to maintain airborne concentrations below the recommended occupational exposure limits, whenever this material is used in a confined space, is heated above normal temperatures (up to 38 °C) or is agitated. Respiratory Protection: Vaporization or misting is not expected at ambient temperatures. Therefore, the need for respiratory

8.3	Respiratory Protection:	Vaporization or misting is not expected at ambient temperatures. Therefore, the need for respiratory protection is not anticipated under normal use conditions and with adequate ventilation. If elevated airborne concentrations above applicable workplace exposure levels are anticipated, a NIOSH-approved organic vapor respirator equipped with a dust/mist pre-filter should be used. Protection factors vary depending upon the type of respirator used. Respirators should be used in accordance with OSHA requirements (29 CFR 1910.134).	
8.4	Eye Protection:	Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. Have suitable eye wash water available. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).	(
8.5	Hand Protection:	Use gloves constructed of chemical-resistant materials such as neoprene or heavy nitrile rubber if frequent or prolonged contact is expected. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, or the EU member states.	
8.6	Body Protection:	Avoid prolonged and/or repeated skin contact. Use clean and impervious protective clothing (e.g., neoprene or Tyvek [®]). Protective clothing should include long-sleeves, apron, boots and additional facial protection. If necessary, refer to appropriate standards of Canada, the EU member states, or U.S. OSHA.	

9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Appearance:	Red transparent liquid.
9.2	Odor:	Mild characteristic odor
9.3	Odor Threshold:	NA
9.4	pH:	NA
9.5	Melting Point/Freezing Point:	NA
9.6	Initial Boiling Point/Boiling Range:	NA
9.7	Flashpoint:	NA
9.8	Upper/Lower Flammability Limits:	NA
9.9	Vapor Pressure:	NA
9.10	Vapor Density:	NA
9.11	Relative Density:	NA
9.12	Solubility:	Insoluble
9.13	Partition Coefficient (log Pow):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	NA
9.17	Other Information:	NA

10. STABILITY & REACTIVITY

10.1	Stability:	Stable at normal temperatures.
10.2	Hazardous Decomposition Products:	Fumes, smoke, carbon monoxide, silicon oxides.
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Open flames, sparks, high heat, and close proximity to incompatible substances.
10.5	Incompatible Substances:	Strong oxidizing agents.
		11. TOXICOLOGICAL INFORMATION

11.1	Routes of Entry:	Inhalation:	NO	Absorption:	YES	Ingestion:	YES					
11.2	Toxicity Data:	This product has NOT be available for some of the					entific literature, is					
11.3	Acute Toxicity:	Moderate irritation to eye	Moderate irritation to eyes and skin near affected areas.									
11.4	Chronic Toxicity:	Prolonged or repeated (dermatitis) or oil acne.	skin contact can	cause mild irritation	n and inflammation	characterized by	drying, cracking,					
11.5	Suspected Carcinogen:	NA										

SAFETY DATA SHEET

Page 4 of 6 HFT-61672

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 5/13/2015

		11. TOXICOLOGICAL INFORMATION
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.
11.7	Irritancy of Product:	See section 4.3
11.8	Biological Exposure Indices:	NA
11.9	Physician Recommendations:	The viscosity range of the product(s) represented by this SDS is between 100 and 400 SUS at 100°F. Accordingly, upon ingestion there is a moderate risk of aspiration. Careful gastric lavage or emesis may be considered to evacuate large quantities of material. Subcutaneous or intramuscular injection requires prompt surgical debridement.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There are no specific data available for this product.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.
12.3	Effects on Aquatic Life:	There are no specific data available for this product.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Dispose of in accordance with federal, state, provincial & local regulations.
13.2	Special Considerations:	NA
		14. TRANSPORTATION INFORMATION
The desc	basic description (ID Nun criptive information may be	nber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Addition e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.
14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED
	- ()	
		15. REGULATORY INFORMATION
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory or are otherwise exempt.
15.4	CERCLA Reportable Quantity	NA
15.5	(RQ): Other Federal Requirements:	None of the ingredients are listed as Hazardous Air Pollutants (HAPs). None of the ingredients are listed as Toxi
10.0	Guier i eucrai Requilements.	Pollutants under the Clean Water Act (CWA). None of the ingredients are listed as Priority Pollutants under the Clean Water Act (CWA). This product does not contain any Class 1 or Class 2 ozone depletors.
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects)
15.7	State Regulatory Information:	Lithium 12-Hydroxystearate is found on the following state criteria list: New Jersey Right-to-Know List (NJ) <u>Molybdenum sulfide</u> is found on the following state criteria list: MA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substance List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardou Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvar Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).
15.8	Other Requirements:	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC: Harmful (Xn). <u>Risk Phrases</u> (R): 65 – Harmful: may cause lung damage if swallowed. <u>Safety</u> <u>Phrases</u> (S): 1/2-53-45-46 – Keep locked up and out of reach of children. Avoid exposure – obtain special instructions before use. In case of accident or if you feel unwell seek medical advice immediately (show the label where possible). If swallowed, seek medical advice immediately and show this container label.

SAFETY DATA SHEET

Page 5 of 6 **HFT-61672**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 5/13/2015

		16. OTHER INFO	DRMATION
16.1	Other Information:	protection. IF ON SKIN: Wash with soap and w	AND ENTERS AIRWAYS. Wear protective gloves/eye protection/face rater. If skin irritation or a rash occurs – Get medical advice/attention. se only as directed. KEEP LOCKED UP AND OUT OF REACH OF
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	government regulations must be reviewed for ap Tools USA, Inc.'s knowledge, the information accuracy, suitability or completeness is not guar provided. The information contained herein rela	SHA's Hazard Communication Standard, 29 CFR §1910.1200. Other plicability to this product. To the best of ShipMate's & Harbor Freight contained herein is reliable and accurate as of this date; however, anteed and no warranties of any type, either expressed or implied, are tes only to the specific product(s). If this product(s) is combined with be considered. Data may be changed from time to time. Be sure to
16.4	Prepared for:	Harbor Freight Tools USA, Inc. 26541 Agoura Road Calabasas, CA 91302 USA Tel: +1 (805) 388-1000 http://www.harborfreight.com	HARBOR FREIGHT TOOLS Quality Tools at Ridiculously Low Prices
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	

SAFETY DATA SHEET

Page 6 of 6 HFT-61672

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 5/13/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE	LIMITS IN AIR:
ACGIH	American Conference on Governmental Industrial Hygienists
С	Ceiling Limit
ES	Exposure Standard (Australia)
IDLH	Immediately Dangerous to Life and Health
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short-Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average
FIRST AID M	EASURES:

Cardiopulmonary resuscitation - method in which a person whose heart has CPR stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HMIS-	HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:									
0	Minimal Hazard		HEALTH							
1	Slight Hazard		FLAMMABILITY							
2	Moderate Hazard		PHYSICAL HAZARDS							
3	Severe Hazard		PERSONAL PROTECTION							
4	Extreme Hazard									

PERSONAL PROTECTION RATINGS:

ppm parts per million

FLAMMABILITY LIMITS IN AIR:

Autoignition Temperature

LEL UEL

SCBA Self-Contained Breathing Apparatus NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

source of ignition

Α						G				3	
В						н					8
С	0		E T			I		(I)		3	
D	(Fr		E.			J	0	(I))	8
Е						к	3	(I)			
F			E-F			X	Consult special I				
Sa	efety Glasse	es	Splash	Goggles			Shield & ive Eyewear		Gloves		
	Boots			c Apron	F	Protective Clothing & Full Suit			Dust Respirator		
			8	3					I		
Full I	Full Face Respirator Dust & Vapor Half- Mask Respirator					Full Face Respirator			Airline Hood/Mask or SCBA		
отн	ER STAN	DARD		S:							
ML Maximum Limit											
mg/m3 milligrams per cubic meter											
NA Not Available											
	ND										
	NE	Not Es	tablished								
	NF	Not Fo	ound								
	NR	No Re	sults								

Minimum temperature required to initiate combustion in air with no other

Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

Upper Explosive Limit - highest percent of vapor in air, by volume, that will

explode or ignite in the presence of an ignition source

Explosive

Flammable

Oxidizer

Pressurized

Corrosive

Toxic

	0 Min	mal H	azard					FL	AMN	ABILITY			
		ht Haz								\mathbf{i}		REA	CTIVITY
	Ŭ		Hazard										
	3 Sev	ere Ha	azard										
	4 Extr	eme H	lazard										
AC												۲,	/
ALK Alkaline COR Corrosive									/	$\mathbf{\nabla}$	W Ì	$\mathbf{\mathbf{Y}}$	
1			HE	ALT	н 🔪	1							
		No W dizer	ater								\sim	· · · · · ·	CIAL
TREFO		ioactiv	/e									PRE	CAUTIONS
OXICOL	.OGIC/	AL INI	FORM	ATIC	ON:								
		LD ₅₀	Leth	nal Do	ose (s	olids a	& liqui	ds) wh	ich k	kills 50%	of the e	expose	ed animals
		LC ₅₀	Leth	nal co	ncent	ration	(gase	es) whic	ch ki	lls 50% c	of the ex	posed	animal
		ppm	n Cor	ncentr	ation	expre	ssed i	n parts	of n	naterial p	er millio	on part	s
				est d	ose to	caus	e a sy	mptom	1				
		TCLo	-					ause a	-	•	Land 1		
	LD ₁₀ , & C ₀ , LC ₁₀ ,			est d	usė (0	or con	centra	uon) to	cau	ise letha	I OF TOXIC	entec	IS
-, -,	5,101	IARC	_	rnatio	nal A	gency	for R	esearc	h on	Cancer			
		NTP				ology							
	F		<u> </u>				f Cherr	ical	Substan	ces			
		BCF		Bioconcentration Factor									
log l	Cow or lo			Median threshold limit Coefficient of Oil/Water Distribution									
REGULA)11/ V a		Suibuii					
WHMI						lous N	Material Information System						
DO			rtment							,			
Т	C Trai	nsport	Canada	•									
EP.			onmen										
DS				mestic Substance List									
NOHS	-			upational Health and Safety Commission (Australia)									
NDS PS				on-Domestic Substance List iority Substances List									
TSC				ubstance Control Act									
E	U Eur	opean	Union (nion (European Union Directive 67/548/EEC)									
WG	K Was	sserge	fährdur	nrdungsklassen (German Water Hazard Class)									
HMIS-I										Materials			
VORKPL	ACE H	AZAI	RDOU	SM	ATEF	RIALS	S IDE	NTIF	CA	TION (\	NHMIS	S) SY:	STEM:
\bigcirc	۲)	١)	(F	\mathbf{b}	C	Ð	(8		×	Ŕ
Class A	Class	в	Class (2	Class	D1	Clas	s D2	CI	ass D3	Class	ε	Class F
ompressed	Flamma	ible	Oxidizin	ng	g Toxic			ation	Inf	fectious	Corros	sive	Reactive
EC (67/54	18/EEC) INF(ORMA		N:						<u> </u>	I	
		N	♦ 🛬		ł	8		&	>	\$	×		
С	E	_	F	F N			0		_	т	Xi	_	Xn
	Hore							Harmful					
Corrosive	Explos	1	Flamma					dizing		Toxic	Irrita	nt	Harmful
CLP/GHS	o (127 2	2008	/EC) F	ICT(UGR	AMS	:						<u> </u>
	۲			<	>	μų.	UNE OF		a v	(!	$\left \right\rangle$		Ł
GHS01	GHS02	GI	HS03	GH	S04	GH	S05	GHS	06	GHS07	' Gł	-IS08	GHS09

Harmful

Irritating

Health

Hazard

Environmen