HARBOR FREIGHT TOOLS

Quality Tools at Ridicalously Low Prices

Product Name:

Chemical Name:

Synonyms:

Trade Names:

Distributor's Name:

Emergency Phone:

Distributor's Address:

Business Phone / Fax:

Product Uses & Restrictions:

1.2

1.3

1.4

1.5

1.6

1.7

19

SAFETY DATA SHEET

Page 1 of 5 **HFT-62440**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

+1 (805) 388-1000

SDS Revision: 1.1

SDS Revision Date: 7/25/2015

| 1. PRODUCT & COMPANY IDENTIFICATION | | | | |
|-------------------------------------|--|--|--|--|
| 276 PIECE ROTARY TOOL ACCESSORY SET | | | | |
| Aluminum Oxide-Fiber | | | | |
| P/N 62440 | | | | |
| Warrior | | | | |
| Abrasive | | | | |
| Harbor Freight Tools USA, Inc. | | | | |

2. HAZARDS IDENTIFICATION

CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 676687)

This product is classified as a HAZARDOUS SUBSTANCE, but not as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. MAY BE HARMFUL IF INHALED. Classification: Skin Sens. 1B; Acute Tox. Inh. 5

Hazard Statements (H): H317 – May cause an allergic skin reaction. H333 – May be harmful if inhaled.

Precautionary Statements (P): P261 – Avoid breathing dust. P304 + P312 – IF INHALED: Call a POISON CENTER/doctor if you feel unwell. P280 – Wear protective gloves/eye protection/face protection. P302+P352 – IF ON SKIN: Wash with soap and water. P333+P313 – If skin irritation occurs: Get medical advice/attention. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).

26541 Agoura Road, Calabasas, CA 91302 USA



3. COMPOSITION & INGREDIENT INFORMATION

| | | | | | | | | EXPO | SURE L | IMITS IN | I AIR (m | g/m³) | |
|------------------------|----------------|-------------------|--------------|--------|-------|------|-----|-------|--------|----------|----------|-------|-------|
| | | | | | AC | GIH | | NOHSC | | | OSHA | | |
| | | | | | pp | m | | ppm | | | ppm | | |
| CUENICAL NAME(O) | 040 N | DTEGO No | EINEGO N- | 0/ | T1.1/ | CT. | ES- | ES- | ES- | DE1 | CT. | 15 | OTHER |
| CHEMICAL NAME(S) | CAS No. | RTECS No. | EINECS No. | % | TLV | STEL | TWA | _ | PEAK | PEL | STEL | IDLH | OTHER |
| ALUMINUM OXIDE | 1344-28-1 | BD1200000 | 215-691-6 | 60-100 | (10) | NA | NF | NF | NF | (10) | NA | NA | |
| ALOWINOW OXIDE | Skin Sens. 1B; | Acute Tox. Inh. 5 | ; H317, H333 | | | | | | | | | | |
| DADED CLOTH OD FIDED | NA | NA | NA | 10-30 | NA | NA | NF | NF | NF | NA | NA | NA | |
| PAPER, CLOTH, OR FIBER | | | | | | | | | | | | | |
| EPOXY RESIN | NA | NA | NA | 10-30 | NA | NA | NF | NF | NF | NA | NA | NA | |
| EPOXT RESIN | | | | | | | | | | | | | |

4. FIRST AID MEASURES

| 4.1 | First Aid: | Ingestion: | Ingestion unlikely; however, if ingested, do not induce vomiting. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. |
|-----|---------------------------|---------------|---|
| | | Eyes: | If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes lifting upper and lower lids, occasionally. |
| | | <u>Skin</u> : | Wash thoroughly with soap and water. In case of contact, immediately flush skin with plenty of water for at least 15 minutes. |
| | | Inhalation: | Remove victim to fresh air at once. If breathing is difficult, administer oxygen. If breathing stops give artificial respiration. Keep person warm, quiet and get medical attention. |
| 4.2 | Effects of Exposure: | Ingestion: | If product is swallowed, may cause gastrointestinal disturbance. |
| | | Eyes: | Exposure to dust may cause eye irritation. Symptoms of overexposure may include redness, itching, irritation and watering. |
| | | <u>Skin</u> : | May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. |
| | | Inhalation: | Coughing, wheezing, shortness of breath, impaired pulmonary function. Irritation or soreness in throat, nose and respiratory tract. |
| 4.3 | Symptoms of Overexposure: | Ingestion: | If product is swallowed, may cause gastrointestinal disturbance. |
| | | Eyes: | Exposure to dust may cause eye irritation. Symptoms of overexposure may include redness, itching, irritation and watering. |
| | | Skin: | May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. |
| | | Inhalation: | Coughing, wheezing, shortness of breath, impaired pulmonary function. Irritation or soreness in throat, nose and respiratory tract. |

HARBOR FREIGHT TOOLS

Quality Teols at Ridiculously Low Prices

SAFETY DATA SHEET

Page 2 of 5 **HFT-62440**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 7/25/2015 4. FIRST AID MEASURES - cont'd Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of dust can cause coughing, 4 4 Acute Health Effects: wheezing, shortness of breath, impaired pulmonary function. Irritation or soreness in throat, nose and respiratory tract. 4.5 Chronic Health Effects: Possible allergic dermatitis in some sensitive individuals 4.6 Target Organs: Eyes, Skin, Respiratory System Medical Conditions 4.7 Pre-existing dermatitis, other skin conditions. HEALTH 1 Aggravated by Exposure: **FLAMMABILITY** 0 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: 5.1 This material can burn but will not readily ignite. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, CO₂ hydrocarbons). 5.2 Extinguishing Methods: CO₂, Dry Chemical, Alcohol Foam. Use water spray to cool containers. 5.3 Firefighting Procedures: Keep containers cool until well after the fire is out. Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fireexposed surfaces and to protect personnel. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill individuals involved in cleanup must wear appropriate Personal Protective Equipment. Plastic or rubber gloves, respirator, eye protection and apron may be required for clean-up of large spills. No special precautions are required for intact packaging containing this product. If product is crushed, use respiratory protection equipment. Do not use compressed air to clean up any residue. Use a wet method or vacuums equipped with High Efficiency Particulate (HEPA) filters to clean up any residues from this product. Waste must be placed in dust tight containers or sealed plastic bags for disposal. Label properly. Keep spills and cleaning runoffs out of drains, municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Do not eat, drink or smoke when handling this product. Handle as to avoid puncturing container(s). Wash particulate 7.1 dust with soap and warm water. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substances. 7.3 Special Precautions: Clean all spills promptly. Particulate may present a slipping hazard. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: **ACGIH** NOHSC OSHA OTHER ppm (mg/m³) ES-STEL STEL CHEMICAL NAME(S) TLV STEL ES-TWA ES-PEAK PEL IDLH 15 **ALUMINIUM OXIDE** 15 8.2 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of dusts generated from the use of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station) 8.3 Respiratory Protection: In instances where dusts are generated when using this product, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.4 Eye Protection: Avoid eye contact. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU) 8.5 Hand Protection: Heavy-duty work gloves recommended under normal conditions of use to avoid abrasions and reduce risk of exposure to hands. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, or the EU member states. 8.6 Body Protection: No apron required under normal circumstances; however, it is recommended. Upon completion of work activities using this product), wash any exposed areas thoroughly with soap and water. If necessary, refer to appropriate standards of Canada, the EU member states, or U.S. OSHA.

HARBOR FREIGHT TOOLS Quality Tools at Ridiculously Low Prices

SAFETY DATA SHEET

Page 3 of 5 HFT-62440

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 7/25/2015 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Solid article 92 Odor. Odorless 9.3 Odor Threshold: NA 9.4 NA 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 NA 9.7 Flashpoint: NΑ 9.8 Upper/Lower Flammability NA 99 Vapor Pressure: NA 9.10 Vapor Density: NA 9.11 Relative Density: 3.5 9.12 Solubility: Insoluble Partition Coefficient (log Pow): 9.13 NA 9.14 Autoignition Temperature NA 9.15 Decomposition Temperature: NA NA 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: Stable under normal conditions; unstable with heat or contamination. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂). Products Hazardous Polymerization: 10.3 Will not occur. Open flames, sparks, high heat, incompatible substances and direct sunlight. 104 Conditions to Avoid: 10.5 Incompatible Substances: Avoid extreme heat and ignition sources. Store away from oxidizers. Avoid acids of all types with a pH < 4.0. 11. TOXICOLOGICAL INFORMATION 11.1 Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product, but is not presented in this document. 11.3 Acute Toxicity: See Section 4.4 11.4 Chronic Toxicity: See Section 4.5 11.5 Suspected Carcinogen: 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans Reproductive Toxicity: This product is not reported to cause reproductive effects in humans 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 11.8 Biological Exposure Indices: ΝE 11.9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION There are no specific data available for this product. Environmental Stability: 12.1 Effects on Plants & Animals: 12.2 There are no specific data available for this product Effects on Aquatic Life: There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Dispose of in accordance with federal, state, provincial and local regulations. 13.2 Special Considerations: NA

HARBOR FREIGHT TOOLS

Quality Tools at Ridiculously Low Prices

SAFETY DATA SHEET

Page 4 of 5 **HFT-62440**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 7/25/2015 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR 49 CFR (GND): **NOT REGULATED** IATA (AIR): 14.2 **NOT REGULATED** IMDG (OCN): 14.3 NOT REGULATED TDGR (Canadian GND): 14.4 NOT REGULATED ADR/RID (EU): 14.5 **NOT REGULATED** SCT (MEXICO): 14.6 **NOT REGULATED** ADGR (AUS): 147 **NOT REGULATED** 15. REGULATORY INFORMATION 15.1 SARA Reporting This product contains Aluminum Oxide, a substance subject to SARA Title III, Section 313 reporting requirements. Requirements 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory or are otherwise exempt. 15.4 **CERCLA Reportable Quantity** (RQ): None of the ingredients are listed as Hazardous Air Pollutants (HAPs). None of the ingredients are listed as Toxic 15.5 Other Federal Requirements: Pollutants under the Clean Water Act (CWA). None of the ingredients are listed as Priority Pollutants under the Clean Water Act (CWA). This product does not contain any Class 1 or Class 2 ozone depletors. 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects). State Regulatory Information: Alumina (Aluminum Oxide) is found on the following state criteria list: Massachusetts Hazardous Substances List (MA, Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), and Washington Permissible Exposures List (WA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: Harmful (Xn). Risk Phrases (R): 20-38 - Harmful if inhaled. Irritating to skin. Safety Phrases (S): 2-23-24-62 - Keep away from children. Do not breathe dust. Avoid contact with skin. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible. 16. OTHER INFORMATION

| 16.1 | Other Information: | IF INHALED: Call a POISON CENTER/doctor if | REACTION. MAY BE HARMFUL IF INHALED. Avoid breathing dust. you feel unwell. Wear protective gloves/eye protection/face protection. irritation occurs: Get medical advice/attention. KEEP OUT OF REACH |
|------|----------------------|---|--|
| 16.2 | Terms & Definitions: | See last page of this Safety Data Sheet. | |
| 16.3 | Disclaimer: | government regulations must be reviewed for an Tools USA, Inc.'s knowledge, the information accuracy, suitability or completeness is not guar provided. The information contained herein relationships to the information contained herein relationships the | ISHA's Hazard Communication Standard, 29 CFR §1910.1200. Other oplicability to this product. To the best of ShipMate's & Harbor Freight contained herein is reliable and accurate as of this date; however, anteed and no warranties of any type, either expressed or implied, are ites only to the specific product(s). If this product(s) is combined with the considered. Data may be changed from time to time. Be sure to |
| 16.4 | Prepared for: | Harbor Freight Tools USA, Inc. 26541 Agoura Road Calabasas, CA 91302 USA Tel: +1 (805) 388-1000 http://www.harborfreight.com | HARBOR FREIGHT TOOLS Quality Tools at Ridiculously Low Prices |
| 16.5 | Prepared by: | ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com | |

SAFETY DATA SHEET

Page 5 of 5 HFT-62440

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 7/25/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

| CAS No. | No. Chemical Abstract Service Number | | |
|---|--------------------------------------|--|--|
| EXPOSURE LIMITS IN AIR: | | | |
| ACGIH American Conference on Governmental Industrial Hygienists | | | |
| C Ceiling Limit | | | |
| ES | Exposure Standard (Australia) | | |
| IDLH Immediately Dangerous to Life and Health | | | |
| OSHA U.S. Occupational Safety and Health Administration | | | |
| PEL Permissible Exposure Limit | | | |
| STEL | Short-Term Exposure Limit | | |
| TLV | Threshold Limit Value | | |
| TWA | Time Weighted Average | | |

FIRST AID MEASURES:

CPR | Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

| 0 | Minimal Hazard |
|---|-----------------|
| 1 | Slight Hazard |
| 2 | Moderate Hazard |
| 3 | Severe Hazard |
| 4 | Extreme Hazard |



PERSONAL PROTECTION RATINGS:

| 1 ENGONNET NOTEGINGN TO THIS CO. | | | | | |
|----------------------------------|--|--|--|--|--|
| Α | | | | | |
| В | | | | | |
| С | | | | | |
| D | | | | | |
| E | | | | | |
| F | | | | | |















Full Face Respirator



Synthetic Apron

Full Face Mask Respirator

Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


| ML | Maximum Limit | |
|------------------|------------------------------------|--|
| mg/m3 | milligrams per cubic meter | |
| NA Not Available | | |
| ND | Not Determined | |
| NE | Not Established | |
| NF Not Found | | |
| NR | No Results | |
| ppm | parts per million | |
| SCBA | Self-Contained Breathing Apparatus | |

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

| FLAMMABILITY LIMITS IN AIR: | | | | | |
|-----------------------------|---|--|--|--|--|
| Autoignition Temperature | Minimum temperature required to initiate combustion in air with no other source of ignition | | | | |
| LEL | Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source | | | | |
| UEL | Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source | | | | |

HAZARD RATINGS:

| 0 | Minimal Hazard | |
|----------------------------|-----------------|--|
| 1 | Slight Hazard | |
| 2 | Moderate Hazard | |
| 3 | Severe Hazard | |
| 4 | Extreme Hazard | |
| ACD | Acidic | |
| ALK | Alkaline | |
| COR | Corrosive | |
| ₩ | Use No Water | |
| ох | Oxidizer | |
| TREFOIL | Radioactive | |
| TOVICOLOGICAL INFORMATION. | | |



TOXICOLOGICAL INFORMATION:

| LD ₅₀ | Lethal Dose (solids & liquids) which kills 50% of the exposed animals s | | | | |
|--|---|--|--|--|--|
| LC ₅₀ | LC ₅₀ Lethal concentration (gases) which kills 50% of the exposed animal | | | | |
| ppm | Concentration expressed in parts of material per million parts | | | | |
| TD _{io} | Lowest dose to cause a symptom | | | | |
| TCLo | Lowest concentration to cause a symptom | | | | |
| TD _{Io} , LD _{Io} , & LD _o or | Lowest dose (or concentration) to cause lethal or toxic effects | | | | |
| TC, TC _o , LC _{lo} , & LC _o | | | | | |
| IARC | International Agency for Research on Cancer | | | | |
| NTP | National Toxicology Program | | | | |
| RTECS | Registry of Toxic Effects of Chemical Substances | | | | |
| BCF | Bioconcentration Factor | | | | |
| TL _m | Median threshold limit | | | | |
| log K _{ow} or log K _{oc} | Coefficient of Oil/Water Distribution | | | | |

REGULATORY INFORMATION:

| WHMIS | Canadian Workplace Hazardous Material Information System | | |
|----------|---|--|--|
| DOT | U.S. Department of Transportation | | |
| TC | TC Transport Canada | | |
| EPA | PA U.S. Environmental Protection Agency | | |
| DSL | DSL Canadian Domestic Substance List | | |
| NOHSC | NOHSC National Occupational Health and Safety Commission (Australia) | | |
| NDSL | NDSL Canadian Non-Domestic Substance List | | |
| PSL | Canadian Priority Substances List | | |
| TSCA | U.S. Toxic Substance Control Act | | |
| EU | European Union (European Union Directive 67/548/EEC) | | |
| WGK | WGK Wassergefährdungsklassen (German Water Hazard Class) | | |
| HMIS-III | National Paint & Coatings Association Hazardous Materials Identification System | | |

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

| World Excellent (William) Crostellin | | | | | | | |
|--------------------------------------|------------|-----------|----------|------------|------------|-----------|----------|
| 0 | (3) | (| ② | (T) | ® | | R |
| Class A | Class B | Class C | Class D1 | Class D2 | Class D3 | Class E | Class F |
| Compressed | Flammable | Oxidizing | Toxic | Irritation | Infectious | Corrosive | Reactive |

EC (67/548/EEC) INFORMATION:

| 15.4 | | M | * | | | X | × |
|-----------|-----------|-----------|---------|-----------|-------|----------|---------|
| С | E | F | N | 0 | Т | Xi | Xn |
| Corrosive | Explosive | Flammable | Harmful | Oxidizing | Toxic | Irritant | Harmful |

CLP/GHS (1272/2008/EC) PICTOGRAMS:

| | | | \Diamond | | | \Leftrightarrow | | * |
|-----------|-----------|----------|-------------|-----------|-------|-----------------------|------------------|-------------|
| GHS01 | GHS02 | GHS03 | GHS04 | GHS05 | GHS06 | GHS07 | GHS08 | GHS09 |
| Explosive | Flammable | Oxidizer | Pressurized | Corrosive | Toxic | Harmful Irritating | Health Hazard | Environment |