1.1

1.2

1.3

1.4

1.5

1.6

1.7

1.8

1.9

21

TALC

4.1

42

4.3

4.4

45 4.6

4.7

Page 1 of 5 HFT-65201

IDLH

1000

NA

NA

NA

EYES

OTHER

1

0

0

Α

SAFETY DATA SHEET HARBOR FREIGHT TOOLS SDS Revision: 1.1 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 7/25/2015 1. PRODUCT & COMPANY IDENTIFICATION Product Name: YELLOW MARKING CRAYONS 6 PC Chemical Name: Paraffin Wax Synonyms P/N 65201 Trade Names: Pittsburgh Product Uses & Restrictions: Marking for Wood and Metal Distributor's Name Harbor Freight Tools USA, Inc. Distributor's Address: 26541 Agoura Road, Calabasas, CA 91302 USA Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 676687) Business Phone / Fax +1 (805) 388-1000 2. HAZARDS IDENTIFICATION Hazard Identification: This product is not classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (1999) and ADG Code (Australia). WARNING! MAY BE HARMFUL IF SWALLOWED. Classification: Acute Tox.5 Hazard Statements (H): H303 - May be harmful if swallowed. Precautionary Statements (P): P312 - Call a POISON CENTER/doctor if you feel unwell. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA ppm ppm ppm ES-ES-ES-STEL CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. TLV TWA PEAK PEL STEL % STEL 8002-74-2 NA NA FUME RV0350000 40-70 NA NF NF (5) 232-315-6 (2) NF PARAFFIN WAX 2.5 14807-96-6 WW2710000 238-877-9 10-30 2 NF NF NA NA 2 9002-88-4 TQ3325000 NA 7-13 NA NA NF NF NF NA NA NA POLYETHYLENE POLYMER WITH EICOSYL 2-27029-57-8 NA NA 3-7 NA NA NF NF NF NA NA PROPENOATE AND OCTADECYL 2-PROPENOATE NA 4531-49-1 224-867-1 0.0-5.0 NA NA NF NF NF NA NA PIGMENT YELLOW 6410-26-0 NA 229-096-4 0.0-5.0 NA NA NF NF NF NA NA PIGMENT RED 4. FIRST AID MEASURES First Aid: If ingested, do not induce vomiting. Contact the nearest Poison Control Center or local emergency Ingestion: number. Provide an estimate of the time and amount of the substance that was swallowed. If product is in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and Eyes: close eyelid(s) to ensure thorough irrigation. If problem persists, consult a physician. Skin: If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm water and soap. If irritation persists, consult a physician. Inhalation: Remove victim to fresh air at once. Effects of Exposure: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Ingestion: Unlikely however dust may cause irritation. Eyes: May be irritating to skin in some sensitive individuals. Skin: Inhalation is unlikely; however, vapors of this product may be slightly irritating to some sensitive individuals Inhalation: Symptoms of Overexposure: Symptoms of overexposure may include redness, itching, and irritation. Acute Health Effects: None reported by the manufacturer. Redness, itching, and irritation of skin at the site of contact for some sensitive individuals. Chronic Health Effects: May be harmful if swallowed Target Organs: None reported by the manufacturer Medical Conditions None reported by the manufacturer HEALTH Aggravated by Exposure: FLAMMABILITY **PHYSICAL HAZARDS PROTECTIVE EQUIPMENT**

HARBOR FREIGHT TOOLS

51

5.2

5.3

6.1

71

7.2

73

8.1

8.2

8.3

8.4

8.5

8.6

9.1

9.2

9.3

94

95

9.6

97

9.8

9.9

9.10

9.11

9.12

9.13

9.14

9.15

9.16

9.17

Other Information:

NA

Page 2 of 5 HFT-65201

OTHER

FUME

SAFETY DATA SHEET Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 7/25/2015 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: This product is non-flammable. When exposed to high temperatures, may produce hazardous decomposition products such as oxides of carbon (e.g., CO, CO₂) and nitrogen (e.g., NO_x) and smoke. Extinguishing Methods: Water, Foam, CO₂, Dry Chemical Firefighting Procedures: First responders should wear eye protection. Structural fire fighters must wear full protective equipment and MSHA/NIOSH-approved self-contained breathing apparatus. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas. If necessary, rinse contaminated equipment with soapy water before returning to service. 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills or large spills: use appropriate material to put the spilled solid in suitable container for recovery or disposal. Keep spills and cleaning runoffs out of drains, municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Avoid contact to eyes, skin, and mucous membranes. Avoid inhalation of dusts. Wash thoroughly after handling and Work & Hygiene Practices: use. Do not smoke, eat, drink, chew gum or tobacco, or apply cosmetics within the working area. Do not store or bring tobacco products, gum, food, drinks or cosmetics within the working area. Otherwise follow the standards of good industrial hygiene practices. Keep Cool. Store in a dry place. Store in a closed container. Keep product contained and retain all warning and Storage & Handling: identity labels. Preferred storage is a sheltered cool area with temperature and humidity control to prevent high heat. Keep away from incompatible materials listed in Section 10. Read and understand the manufacturer's instructions and the precautionary label on this product. Protect from moisture Special Precautions: excessive heat. Store in a dry place. Store in a closed container. Protect containers from physical damage. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: ACGIH NOHSC OSHA ppm (mg/m³) ES-ES-CHEMICAL NAME(S) TLV STEL ES-TWA STEL PEAK PEL STEL IDLH PARAFFIN WAX (2) NA NF NF NF NA NA (5) TALC 2 NA NF 2.5 NF 2 NA 1000 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general Controls: exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station) Respiratory Protection: Normally not necessary. In instances where dust of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. Eve Protection: Normally not necessary. Avoid eye contact. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Hand Protection: None required under normal conditions of use. If necessary, refer to U.S. OSHA 29 CFR §1910.138 the appropriate standards of Canada, or the EU member states. Body Protection: None required under normal conditions of use. Eye wash stations and deluge showers should be available 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: Solid, yellow Odorless Odor: Odor Threshold: NA pH: NA Melting Point/Freezing Point: NA Initial Boiling Point/Boiling NA Range: NA Flashpoint Upper/Lower Flammability NA Limits: Vapor Pressure: NA Vapor Density: NA Relative Density: NA Insoluble Solubility: Partition Coefficient (log Pow): NA Autoignition Temperature: NA Decomposition Temperature: NA Viscosity: NA

SAFETY DATA SHEET

Page 3 of 5 HFT-65201

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1

SDS Revision Date: 7/25/2015

10. STABILITY & REACTIVITY

		10. STABILITY & REACTIVITY						
10.1	Stability:	This product is stable.						
10.2	Hazardous Decomposition Products:	Oxides of carbon and nitrogen.						
0.3	Hazardous Polymerization:	Will not occur.						
0.4	Conditions to Avoid:	Open flames, sparks, high heat and direct sunlight.						
).5	Incompatible Substances:	None known.						
		11. TOXICOLOGICAL INFORMATION						
1.1	Routes of Entry:							
1.2	Toxicity Data:	Inhalation: NO Absorption: YES Ingestion: YES This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, i Toxicology data, found in scientific literature, i Toxicology data, found in scientific literature, i						
1.2	TORICITY Data.	available for some of the components of the product, but is not presented in this document.						
.3	Acute Toxicity:	See Section 4.4						
.4	Chronic Toxicity:	See Section 4.5						
1.5	Suspected Carcinogen:	No						
1.6	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.						
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.						
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.						
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.						
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.						
1.7	Irritancy of Product:	See Section 4.3						
1.8	Biological Exposure Indices:	NE						
1.9	Physician Recommendations:	Treat symptomatically.						
		12. ECOLOGICAL INFORMATION						
2.1	Environmental Stability:	There are no specific data available for this product.						
2.2	Effects on Plants & Animals:	There are no specific data available for this product.						
2.3	Effects on Aquatic Life:	There are no specific data available for this product.						
		13. DISPOSAL CONSIDERATIONS						
3.1	Waste Disposal:	Waste disposal must be in accordance with appropriate federal, state, provincial and local regulations.						
3.2	Special Considerations:	NA						
		14. TRANSPORTATION INFORMATION						
The I	pasic description (ID Nur	nber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Addition						
		e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.						
4.1	49 CFR (GND):	NOT REGULATED						
4.2	IATA (AIR):	NOT REGULATED						
4.3	IMDG (OCN):	NOT REGULATED						
4.4	TDGR (Canadian GND):	NOT REGULATED						
4.5	ADR/RID (EU):	NOT REGULATED						
4.6	SCT (MEXICO):	NOT REGULATED						
4.7	ADGR (AUS):	NOT REGULATED						
		15. REGULATORY INFORMATION						
5.1	SARA Reporting	This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements.						
5.2	Requirements: SARA Threshold Planning	There are no specific Threshold Planning Quantities for the components of this product.						
5.3	Quantity: TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory or are otherwise exempt.						
5.4	CERCLA Reportable Quantity	NA						
5.5	(RQ): Other Federal Requirements:	None of the ingredients are listed as Hazardous Air Pollutants (HAPs). None of the ingredients are listed as Toxi Pollutants under the Clean Water Act (CWA). None of the ingredients are listed as Priority Pollutants under the Clean Water Act (CWA). This product does not contain any Class 1 or Class 2 ozone depletors.						
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. The following chemicals are listed on the Ingredient Disclosure List: Chromium, Manganese, and Molybdenum. WHMIS Classification: D2B (Other Toxic Effects).						

SAFETY DATA SHEET

Page 4 of 5 HFT-65201

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1 SDS F

SDS Revision Date: 7/25/2015

		15. REGULATORY I	NFORMATION			
15.7	15.7 State Regulatory Information: Parrafin Wax is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA) and Washington Permissible Exposures List (WA). Talc is found on the following state criteria list: FL, MA, MN, NJ, PA and WA. None other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (MI), Minnesota Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MA), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).					
15.8	Other Requirements:	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC: Harmful (Xn). <u>Risk Phrases</u> (R): 22 – Harmful if swallowed. <u>Safety Phrases</u> (S):62 – If do not induce vomiting: seek medical advice immediately and show this container or label where possible.				
	16. OTHER INFORMATION					
16.1	Other Information:	WARNING! MAY BE HARMFUL IF SWALLOWED. Use only as directed. May be harmful if swallowed. Call a POISON CENTER/doctor if you feel unwell				
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.				
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Harbor Freight Tools USA, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.				
16.4	Prepared for:	Harbor Freight Tools USA, Inc. 26541 Agoura Road Calabasas, CA 91302 USA Tel: +1 (805) 388-1000 http://www.harborfreight.com/	HARBOR FREIGHT TOOLS Quality Tools at Ridiculously Low Prices			
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com				

SAFETY DATA SHEET

Page 5 of 5 HFT-65201

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1

SDS Revision Date: 7/25/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract	Service Number
---------------------------	----------------

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
C Ceiling Limit		
ES	ES Exposure Standard (Australia)	
IDLH	Immediately Dangerous to Life and Health	
OSHA	U.S. Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
STEL	Short-Term Exposure Limit	
TLV	Threshold Limit Value	
TWA	Time Weighted Average	

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:

Α	6		G			
в			н			
С		Ę.	I			
D	B	T.	J			
Е		\bigcirc	к			
F			Х	Consult your special hand	r supervisor or Iling directions.	SOPs fo
Sa	afety Glasses	Splash Goggles		e Shield & tive Eyewear	Gloves	5
Boots Synthetic Apron & Respirato			irator			
Full Face Respirator Full Face Respirator						
отн						

OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit
mg/m3	milligrams per cubic meter
NA	Not Available
ND	Not Determined
NE	Not Established
NF	Not Found
NR	No Results
ppm	parts per million
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

Autoignition Minimum temperature required to initiate combustion in air with no other source of ignition LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source	FLAMMABILI	FLAMMABILITY LIMITS IN AIR:			
LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, that will	Autoignition	itoignition Minimum temperature required to initiate combustion in air with no other			
	Temperature	source of ignition			
explode or ignite in the presence of an ignition source	LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will			
		explode or ignite in the presence of an ignition source			
UEL Upper Explosive Limit - highest percent of vapor in air, by volume, that will	UEL				
explode or ignite in the presence of an ignition source		explode or ignite in the presence of an ignition source			

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{lo} , LD _{lo} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{lo} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System	
DOT	U.S. Department of Transportation	
TC		
EPA		
DSL	Canadian Domestic Substance List	
NOHSC	National Occupational Health and Safety Commission (Australia)	
NDSL	Canadian Non-Domestic Substance List	
PSL	Canadian Priority Substances List	
TSCA	U.S. Toxic Substance Control Act	
EU	European Union (European Union Directive 67/548/EEC)	
WGK	Wassergefährdungsklassen (German Water Hazard Class)	
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System	

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\bigcirc	۲	٨		Ð	۲		R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

V		N	¥	8	.	×	×
С	E	F	Ν	0	т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizina	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\diamondsuit			(:)		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environ- ment