

Page 1 of 6 **HFT-67820**

Prepared to OSHA ACC ANSI NOHSC WHMIS 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 4/30/2015

		1. PRODUCT & COMPANY IDENTIFICATION
1.1	Product Name:	FLUID FOR I-BEAM LEVEL
1.2	Chemical Name:	Low Boiling Point Naphtha
1.3	Synonyms:	P/N 67820
1.4	Trade Names:	Pittsburgh
1.5	Product Uses & Restrictions:	Sight-Glass
1.6	Distributor's Name:	Harbor Freight Tools USA, Inc.
1.7	Distributor's Address:	26541 Agoura Road, Calabasas, CA 91302 USA
1.8	Emergency Phone:	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 676687)
1.9	Business Phone / Fax:	+1 (805) 388-1000
		2. HAZARDS IDENTIFICATION
2.1	Hazard Identification:	This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia). DANGER! HIGHLY FLAMMABLE LIQUID AND VAPOR. MAY BE FATAL IF SWALLOWED

AND ENTERS AIRWAYS. CAUSES SERIOUS EYE IRRITATION.

Classification: Flam. Liq. 1; Asp. Tox. 1; Skin Irrit. 2; STOT SE 3; Aq. Chronic 2.

Hazard Statements (H): H224 – Extremely flammable liquid and vapor. H304 – May be fatal if swallowed and enters airways. H319 – Causes serious eye irritation.

Precautionary Statements (P): P201 – Obtain special instruction before use. P202 – Do not handle until all safety precautions have been read and understood. P210 – Keep away from heat/sparks/open flame/hot surfaces – No Smoking. P233 – Keep container tightly closed. P243 – Take precautionary measures against static discharge. P261 – Avoid breathing fume/mist/vapors/spray. P264 – Wash exposed skin areas thoroughly with soap and water after handling. P272 – Contaminated work clothing should not be allowed out of the workplace. P280 – Wear protective gloves/eye protection/face protection. P301+P310 – IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331 – Do NOT induce vomiting. P303+P361+P353 – IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (or shower). P305+P351+P338 – IF IN EYES – Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attention. P370+P378 – In case of fire: use CO₂, Halon (if permitted), dry chemical, or foam for extinction. P403+P235 – Store in a well-ventilated place. Keep cool. P405 – Store locked up. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).



3. COMPOSITION & INGREDIENT INFORMATION													
EXPOSURE LIMITS IN AIR (mg/m³)													
					AC	GIH		NOHSC	;		OSHA		
					pp	om		ppm			ppm		
							ES-	ES-	ES-				
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
LOW DOWNS DOWN NADUTINA	8006-61-9	LX3300000	232-349-1	60-100	100	NA	NF	790	NF	200	NA	2000	MIST
LOW BOILING POINT NAPHTHA	Flam. Liq. 1; Asp. Tox. 1; Skin Irrit. 2; STOT SE 3; Aq. Chronic 2; H224, H304, H315, H336, H411												

	4. FIRST AID MEASURES				
4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.		
		Eyes:	Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. If irritation occurs, contact a physician.		
		Skin:	If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.		
		Inhalation:	Remove victim to fresh air at once.		



Page 2 of 6 **HFT-67820**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 4/30/2015

4.0	Effects of Ever-	4. FIRST AID MEASURES – cont'd
4.2	Effects of Exposure:	Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression.
		Eyes: The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye inflammation, ulceration. The vapor is discomforting to the eye. Splashes may cause severe eye irritation, possible corneal burns and eye damage. Moderately irritating to the eyes. Symptoms or overexposure may include redness, itching, irritation and watering. Skin: May be irritating to skin, especially after prolonged contact. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. Inhalation: Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory
		system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of concentrated vapors can cause central nervous system depression (e.g. drowsiness, dizziness, headaches, nausea). Odor may give some warning of exposure, but odor fatigue may occur.
4.3	Symptoms of Overexposure:	Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis upon prolonged or repeated exposure.
4.4	Acute Health Effects:	Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.
4.5	Chronic Health Effects:	The material may accentuate any pre-existing dermatitis condition.
4.6	Target Organs:	Eyes, Skin, Respiratory System, Central Nervous System, Liver, Kidneys
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, and respiratory system). HEALTH 2 FLAMMABILITY 3 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT X EYES SKIN LUNGS
	1	5. FIREFIGHTING MEASURES
	Te: oe i : ii i	
5.1	Fire & Explosion Hazards:	DANGER! EXTREMELY FLAMMABLE LIQUID AND VAPOR! Keep away from heat/ sparks/ open flame/ hot surfaces – No Smoking. Keep container tightly closed. Take precautionary measures against static discharge.
5.2	Extinguishing Methods:	CO ₂ , Halon (if permitted), Dry Chemical, Foam, as authorized.
		This product is a Class IB flammable liquid. When involved in a fire, this product will ignite readily and decompose to produce carbon oxides. Vapors of this product are heavier than air and may travel to a source of ignition and flash back to a leaking or open container. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct vapors. Water may not be effective in actually extinguishing a fire involving this product. HazChem Code: 3[Y]E. Hazard Identification Number: 33
		6. ACCIDENTAL RELEASE MEASURES
6.1	Spills:	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inertiaterial (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of drains, municipal sewers and open bodies of water.
		7. HANDLING & STORAGE INFORMATION
7.1	Work & Hygiene Practices:	Avoid prolonged contact with the product. Avoid breathing vapors of this product. Use in a well-ventilated location (e.g. local exhaust ventilation, fans). After use, wash hands and exposed skin with soap and water. Do not eat, drink of smoke while handling product.
7.2	Storage & Handling:	Keep this material away from heat, sparks and open flame. Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care. Store containers in a cool, dry location, away from direct sunlight, other ligh sources, or sources of intense heat. Storage temperature: 32-120 °F (0-49 °C). Take precautionary measures against static discharge. Store away from incompatible materials (see Section 10).
7.3	Special Precautions:	Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care.



Page 3 of 6 **HFT-67820**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 4/30/2015

		8. EXPOSURE CO	NTR	OLS	& PER	SONA	L PRO	ГЕСТ	ION		
8.1 E	xposure Limits:			GIH		NOHSC			OSHA		OTHER
р	pm (mg/m ³)	CHEMICAL NAME(S)	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
		LOW BOILING POINT	100	NA	NF	790	NF	200	NA	2000	MIST
		NAPHTHA	100	14/1	141	700	141	200	14/1	2000	WIIOT
8.2 V	entilation & Engineering	M/b an area din a critte la ana area	-4:4:	f				(1-			tilation fama) to loo
	ontrols:	When working with large qua exposure below the airborne									
		exposure to eyes.	exposi	ile ilitilits	s. Elisule	ınaı an ey	ewasii siai	1011, 5111	K OI Was	iiibasiii	is available iii case (
8.3 R	espiratory Protection:	No special respiratory protect	rtion is	require	d under tv	mical circu	ımetancee	of use	or hand	lling I	f
	oopii atory i rotootionii	necessary, use only respirat									
		§1910.134, or applicable U									
		provinces, EU member states			ations, or	ше аррг	opriate sta	naaras	or our	ada, ita	'
8.4 E	ye Protection:	Wear protective eyewear (e.			ses with s	side-shield	I) at all tim	es whe	en hand	lina this	
		product. Always use protect									
		special hazard; soft lenses m								•	
8.5 H	and Protection:	If anticipated that prolonged	& repe	eated sk	in contact	will occur	r during us	e of thi	s produ	ct, wear	
		latex or rubber gloves for r									
		§1910.138, the appropriate st									
8.6 B	ody Protection:	No special body protection i	s requi	red und	er typical	circumsta	nces of us	e and l	handling	. Wear	r
		appropriate protective clothi									
		needed. If necessary, refer	to appr	opriate	standards	of Canad	a, the EU i	membe	r states,	or U.S.	THE CO
		OSHA.									
		9. PHYSICA	4L &	CHE	MICAL	. PROI	PERTIE	S			
9.1 A	ppearance:	Transparent liquid (may be ye	ellow-gr	reen)							
9.2 C	dor:	Penetrating hydrocarbon odo	r								
9.3 C	dor Threshold:	NA									
9.4 p	H:	NA									
9.5 N	lelting Point/Freezing Point:	NA									
9.6 Ir	nitial Boiling Point/Boiling	> 60 °C (> 140 °F)									
	ange:	,									
	lashpoint:	< 0 °C (< 32 °F)									
	pper/Lower Flammability imits:	LEL: 0.7% / UEL 7.0%									
	apor Pressure:	NA									
9.10 V	apor Density:	NA									
9.11 R	elative Density:	NA									
9.12 S	olubility:	Insoluble in water									
	artition Coefficient (log Pow):	NA									
	utoignition Temperature:	NA									
	ecomposition Temperature:	NA									
	iscosity:	NA									
	ther Information:	NA									
0.17	and mornidadii.	INA									
		10 6	TAD	II ITV	& REA	A C T I \ / I	TV				
10.1 S	tability:	Relatively stable under ambie									
	azardous Decomposition	If exposed to extremely high						eition m	av inclu	do irrita	ting vapore and toy
	roducts:	gases (e.g., oxides of carbon			products	or therma	i decompos	SitiOII II	iay ii icio	ue iiiie	aling vapors and lox
10.3 H	azardous Polymerization:	Will not occur.	Q IIIIO	gcii).							
	onditions to Avoid:	Exposure or contact to extren	ne temr	perature	s incompa	atible chen	nicals stror	na liaht	sources	sparks	flame
	ncompatible Substances:	Strong oxidizers, peroxides o			o,opc			·9 ··9···	000.000	, opaine	,
		, J.		,							
		11. TOXI	COL	OGIC	:AI IN	FORM	ΔΤΙΩΝ				
I1.1 R	outes of Entry:	Inhalation: YES					YES			Ingest	ion: YES
	oxicity Data:	This product has NOT been to		nn anim				nxicolor	rv data		.=0
· · · - '	, 50.0.	available for some of the con							yy uala,	iouilu III	i solenino illerature,
		Low Boiling Point Naphtha: L	•		•	•	STATE OF DETON	٠.			
11.3 A	cute Toxicity:	Moderate irritation to eyes					Additionally	high	concort.	ations	of vapore can save
	oute romony.	drowsiness, dizziness, heada				areas. F	auditionally,	nign	CONCENT	aแบบร	oi vapois can caus
11.4 C	hronic Toxicity:	1				ie conditio	ın.				
	uspected Carcinogen:	The material may accentuate						onc			
	aspessed saroningen.	Low Boiling Point Naphtha: I	4KC G	oup ZB	– possibly	carcinoge	inc to num	aus.			



Page 4 of 6 HFT-67820

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 4/30/2015 11. TOXICOLOGICAL INFORMATION - cont'd 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans Mutagenicity Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure 11.8 Biological Exposure Indices: ΝE Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There are no specific data available for this product. 12.2 Effects on Plants & Animals There are no specific data available for this product. 12.3 Effects on Aquatic Life There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Dispose of in accordance with federal, state, provincial and local regulations 13.2 Special Considerations: 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 14.1 49 CFR (GND): UN1993, FLAMMABLE LIQUIDS, N.O.S. (NAPHTHA), 3, II (LTD QTY, IP VOL ≤ 1.0 L); or CONSUMER COMMODITY, ORM-D - until 01/01/2021 14.2 IATA (AIR)*: ID8000, CONSUMER COMMODITY, 9 (IP VOL ≤ 0.5 L); or Alle, UN1993, FLAMMABLE LIQUIDS, N.O.S. (NAPHTHA), 3, II (LTD QTY, IP VOL ≤ 0.5 L) 14.3 IMDG (OCN): UN1993, FLAMMABLE LIQUIDS, N.O.S. (NAPHTHA), 3, II (LTD QTY, IP VOL ≤ 1.0 L) TDGR (Canadian GND): 14 4 UN1993, FLAMMABLE LIQUIDS, N.O.S. (NAPHTHA), 3, II (LTD QTY, IP VOL \leq 1.0 L); or "LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE" (IP VOL ≤ 1.0 L) 14.5 ADR/RID (EU): UN1993, FLAMMABLE LIQUIDS, N.O.S. (NAPHTHA), 3, II (LTD QTY, IP VOL ≤ 1.0 L) 14.6 SCT (MEXICO): UN1993, LIQUIDOS, INFLAMABLES, N.E.P. (NAFTA), 3, II (CANT. LTDA., IP VOL ≤ 1.0 L) 14.7 ADGR (AUS): UN1993, FLAMMABLE LIQUIDS, N.O.S. (NAPHTHA), 3, II (LTD QTY, IP VOL ≤ 1.0 L) 15. REGULATORY INFORMATION SARA Reporting 15.1 This product does not contain any substances subject to SARA Title III, section 313 reporting requirements. Requirements 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory or are otherwise exempt. 15.4 CERCLA Reportable Quantity (RQ): None of the ingredients are listed as Hazardous Air Pollutants (HAPs). None of the ingredients are listed as Toxic 15.5 Other Federal Requirements: Pollutants under the Clean Water Act (CWA). None of the ingredients are listed as Priority Pollutants under the Clean Water Act (CWA). This product does not contain any Class 1 or Class 2 ozone depletors. 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the Safety Data Sheet contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS B2, D2B (Flammable Liquid, Other Toxic Effects). 15.7 State Regulatory Information: Low Boiling Point Naphtha (as Natural Gasoline) is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA), and Washington Permissible Exposures List (WA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). WARNING! This product contains a substance(s) known to the State of California to cause cancer, birth defects or other reproductive harm.



Page 5 of 6 **HFT-67820**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 4/30/2015

		15. REGULATORY INFO	ORMATION – cont'd
15.8	Other Requirements:	65 – Highly flammable. Irritating to eyes, skin damage if swallowed. <u>Safety Phrases</u> (S): (2-container in a well-ventilated place. Keep awa	Harmful (F+, Xn). Risk Phrases (R): R11-36/37/38- n and respiratory system. Harmful: may cause lung c)9-16-26-46 – Keep out of reach of children. Keep y from sources of ignition – No smoking. In case of ty of water and seek medical advice. If swallowed,
		16. OTHER INF	ORMATION
16.1	Other Information:	AIRWAYS. CAUSES SERIOUS EYE IRRITAT precautions have been read and understood. Keep container tightly closed. Take prefume/mist/vapors/spray. Wash exposed skin at clothing should not be allowed out of the w SWALLOWED: Immediately call a POISON CE immediately all contaminated clothing. Rinse st for several minutes. Remove contact lenses if medical advice/attention. In case of fire: use C well-ventilated place. Keep cool. Store locked	AND VAPOR. MAY BE FATAL IF SWALLOWED AND ENTERS TION. Obtain special instruction before use. Do not handle until all safety Keep away from heat/sparks/open flame/hot surfaces – No Smoking. ecautionary measures against static discharge. Avoid breathing reas thoroughly with soap and water after handling. Contaminated work orkplace. Wear protective gloves/eye protection/face protection. IF NTER/doctor. Do NOT induce vomiting. IF ON SKIN (or hair): Take off kin with water (or shower). IF IN EYES – Rinse continuously with water present and easy to do – continue rinsing. If eye irritation persists: Get CO ₂ , Halon (if permitted), dry chemical, or foam for extinction. Store in a up. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to government regulations must be reviewed for a Tools USA, Inc.'s knowledge, the information accuracy, suitability or completeness is not guaprovided. The information contained herein re	OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other applicability to this product. To the best of ShipMate's & Harbor Freight an contained herein is reliable and accurate as of this date; however, aranteed and no warranties of any type, either expressed or implied, are elates only to the specific product(s). If this product(s) is combined with the considered. Data may be changed from time to time. Be sure to
16.4	Prepared for:	Harbor Freight Tools USA, Inc. 26541 Agoura Road Calabasas, CA 91302 USA Tel: +1 (805) 388-1000 http://www.harborfreight.com	HARBOR FREIGHT TOOLS Quality Tools at Ridiculously Low Prices
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate* Dangerous Goods Training & Consulting

Page 6 of 6 **HFT-67820**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 4/30/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

1	CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
С	Ceiling Limit
ES	Exposure Standard (Australia)
IDLH	Immediately Dangerous to Life and Health
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short-Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:


CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.


HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:















Protective Clothing & Full Suit







Full Face Respirator

Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit
mg/m3	milligrams per cubic meter
NA	Not Available
ND	Not Determined
NE	Not Established
NF	Not Found
NR	No Results
ppm	parts per million
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:						
Autoignition	Minimum temperature required to initiate combustion in air with no other						
Temperature	source of ignition						
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will						
	explode or ignite in the presence of an ignition source						
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will						
	explode or ignite in the presence of an ignition source						

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NOHSC	National Occupational Health and Safety Commission (Australia)				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System				

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

	*	(\odot	(18)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

		*	*		®	×	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

		®	\Diamond			\limits	***	
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environ- ment