HARBOR FREIGHT TOOLS Guality Teols at Ridiculously Low Prices

SAFETY DATA SHEET

Page 1 of 5 **HFT-68511**

			• / \1	2	/					
Prepa	ared to OSHA, ACC, ANSI	NOHSC, WHMIS	5, 2001/58 & 1272	/2008/EC Standard	ls	SDS	Revision: 1.1	S	DS Revision Da	te: 7/25/2015
						IDENT				
				CT & COM					_	
1.1	Product Name:	9 MIL N	IITRILE PO	OWDER-FI	<u>REE G</u>	LOVES	100 PC L	.ARG		
1.2	Chemical Name:	Nitrile Rubb	er							
1.3	Synonyms:	P/N 68511								
1.4	Trade Names: Product Uses & Restrictions:	Hardy								
1.5 1.6	Distributor's Name:	Plastic Glov		1						
1.0	Distributor's Address:		Harbor Freight Tools USA, Inc. 26541 Agoura Road, Calabasas, CA 91302 USA							
1.8	Emergency Phone:	0		,		>> 404 000		2007)		
1.9	Business Phone / Fax:) 527-3887 /	+1 (800)) 424-930	U (CCN 676	5687)		
1.9	Business Phone / Pax:	+1 (805) 38	8-1000							
			2. H	AZARDS I	DENT	IFICATI	ON			
2.1	Hazard Identification:	according to WARNING! Classificatio Hazard Stat Precautiona POISON Cl protection. occurs: Ge	t is classified the classificati MAY CAUSE <u>m</u> : Skin Sens. 1 <u>tements</u> (H): H3 <u>try Statements</u> ENTER/doctor P302+P352 – I t medical advi	as a HAZARDC on criteria of NO AN ALLERGIC	DUS SUE HSC: 108 SKIN RE an allerg bid breat ell. P280 ash with P501 –	BSTANCE, b 88 (2004) an ACTION. ic skin reacti hing dust. F – Wear pro soap and wa	ut not as DAI d ADG Code (, on. P304+P312 – otective gloves ater. P333+P3	Australia IF INHAI /eye pro 313 – If s). _ED: Call a tection/face kin irritation	
				2	,			<u></u>		
		3. 0	OMPOSI	FION & INC	REDI		-	-		
						ACGIH	EXPOS NOHSC		S IN AIR (mg/m ³) OSHA	
						ppm	ppm		ppm	
	0.11.11.12(0)		57500 V				ES- ES-	ES-		
	CAL NAME(S)	CAS No. NA	RTECS No.	EINECS No.	% NA	TLV STEL NA NA	TWA STEL NF NF	NF N		
NITRI	LE RUBBER				1		I I I			
SULP	HUR	7704-34-9	NA	231-722-6	NA	NA NA	NF NF	NF N	A NA N/	4
002		Skin Irrit. 2;		01E 000 E	N1.0					•
ZINC	OXIDE	1314-13-2 Aquatic Acu	ZH4810000	215-222-5 onic 1; H400, H410	NA	NA NA	NF NF	NF N	A NA NA	4
		1310-58-3	TT2100000	215-181-3	4-8	NA NA	(2) NF	NF N		4
POTA	SSIUM HYDROXIDE			Inh. 4; H302, H33	2					
RUBE	ER ACCELERATOR	NA	NA	NA	NA	NA NA	NF NF	NF N	A NA NA	4
		NA	NA	NA	NA	NA NA	NF NF	NF N	A NA N/	Δ
SURF	ACTANT		101	101						,
ANTIC	DXIDANT	NA	NA	NA	NA	NA NA	NF NF	NF N	A NA N/	4
		NA	NA	NA	NA	NA NA	NF NF	NF N	A NA N/	4
PIGM	ENT									
PROF	RIETARY INGREDIENTS	NA	NA	NA	NA	NA NA	NF NF	NF N	A NA N/	4
			4	FIRST AI						
4.1	First Aid:	Ingestion:	Ingestion is u				•			
		Eyes:	•		lush with	o copious am	nounts of luke	warm wa	ter for at leas	st 15 minutes lifting
			upper and lov	wer lids, occasio	nally.					
		<u>Skin</u> :		curs, discontinue	e use. W	ash thorough	nly with soap a	nd water		
4.0	Effects of Ever-	Inhalation:	Inhalation is							
4.2	Effects of Exposure:	Ingestion:	•	swallowed, see n			•	tation	Sumptoma -f	
		Eyes:					cause eye III		symptoms of	overexposure may
			include redness, itching, irritation and watering. <u>Skin</u> : May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in							
		Skin:			e product		allergic skin re	actions (e.g., rashes.	welts, dermatitis) in
		<u>Skin</u> :	May be irrita		e product		allergic skin re	actions (e.g., rashes,	welts, dermatitis) ir
		<u>Skin</u> : <u>Inhalation</u> :	May be irrita some sensitiv Coughing, w	ting to skin. The ve individuals.		t can cause a	-		_	welts, dermatitis) ir soreness in throat

HARBOR FREIGHT TOOLS

SAFETY DATA SHEET

Page 2 of 5 **HFT-6851**

Quality	r Teols at Ridiculously Low Prices	SAL		JA	IAC						HFT-6851	1
Prepa	ared to OSHA, ACC, ANSI, N	IOHSC, WHMIS, 2001/58 & 1272/2008	/EC Stand	lards		SDS Rev	vision: 1.1		SDS Rev	ision Dat	te: 7/25/2015	
		4. FIRST		/EAS	SURES	- cont	ťd					
4.3	Symptoms of Overexposure:	Ingestion: Ingestion is unlike					- •-					
												itching,
			irritation and watering.									0.
		Skin: May be irritating t some sensitive in		•	duct can c	ause aller	gic skin re	actions	; (e.g., r	ashes, v	welts, derma	atitis) in
		Inhalation: Coughing, wheez			of breath. i	mpaired p	ulmonarv	functio	n. Irrita	tion or	soreness in	throat.
		nose and respirate	ory tract.									
4.4	Acute Health Effects:	Users are advised against touch										
		skin irritations on certain individ Users should replace the produ										
		skin fatigue and roughening on							innig ui	e piouu	ici ayani io	reduce
4.5	Chronic Health Effects:	Irritant contact dermatitis may r						er and s	surfactar	nts and	inadequate	rinsing
4.0	T	after use.										
4.6 4.7	Target Organs: Medical Conditions	Eyes, Skin Pre-existing dermatitis, other sk	in conditi	ions				I TU				4
4.7	Aggravated by Exposure:	The existing demands, other sk		10113.			HEA					1
								MMAB				0
									HAZA	-		0
									VE EQ		:NI	В
							EYES	j	SKIN			
		5 EIDE		TINIC			•					
5.1	Fire & Explosion Hazards:	5. FIRE						(ing. 4h)				
5.1		This material can burn but will decompose at high temperature							s produc	ct may		
5.2	Extinguishing Methods:	CO ₂ , Dry Chemical, Foam. Use					riyarooaro	0110).				
5.3	Firefighting Procedures:	Keep containers cool until well a					surrounding	g mater	ials. As	in any		
		fire, wear MSHA/NIOSH appro	ved self-	contain	ed breathi	ng appara	itus (press	ure-de	mand) a	nd full		
		protective gear. Keep contain										0
		exposed surfaces and to prote dilution from entering sewers, of										/
		must use full bunker gear inc									\sim	
		apparatus to protect against pot										
		deficiencies.										
		6. ACCIDEN					IDES					
6.1	Spills:	Waste must be placed in dust						enosal	lahali	nronerly	/ Keen sni	lls and
0.1	opilio.	cleaning runoffs out of drains, m						posai.	Laber	property	. Reep spi	
		7. HANDLING	3 & S1	FOR	AGE IN	FORM	ATION					
7.1	Work & Hygiene Practices:	Do not eat, drink or smoke wher										
7.2	Storage & Handling:	The product must be stored in it	s original	packin	g in a well-	ventilated	area away	from d	ust, sun	light an	d excessive	heat.
7.3	Special Precautions:	NA										
				<u> </u>				CTIC				
8.1	Exposure Limits:	8. EXPOSURE CON			PERSU	NOHSC	RUIE		OSHA		OTHER	
0.1	ppm (mg/m ³)	CHEMICAL NAME(S)	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	UTILK	
		POTASSIUM HYDROXIDE	NA	NA	(2)	NF	NF	NA	NA	NA		
8.2	Ventilation & Engineering	General mechanical (e.g., fans) or natu	iral ven	tilation is	sufficient	when this	produc	t is in u	use. Us	se local or	general
	Controls:	exhaust ventilation to effective										
8.3	Respiratory Protection:	product. Ensure appropriate de									ash station).	
0.5	Respiratory Frotection.	In instances where dusts are generated when using this product, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or										
		needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member										
		States, or Australia.							-			
8.4	Eye Protection:	Avoid eye contact. Use equip					d approve	ed und	er appr	opriate		
8.5	Hand Protection:	government standards such as I					010 000	line c	nd marri	h ofter		
0.0		Users are advised against touch donning to minimize skin irritat										
		product is unventilated except										
		clean their hands prior to donn			again to re	educe skin	fatigue a	nd roug	ghening	on the		
9.6	Pody Protoction:	areas in frequent contact with th	e produc	t.								
8.6	Body Protection:	NA									1	

HARBOR FREIGHT TOOLS

SAFETY DATA SHEET

Page 3 of 5 HFT-68511

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1

SDS Revision Date: 7/25/2015

		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Appagrapag:	
9.1	Appearance: Odor:	Dark blue
9.2	Odor Threshold:	Odorless
9.4	pH:	NA NA
9.5	Melting Point/Freezing Point:	NA
9.6	Initial Boiling Point/Boiling	
0.7	Range:	NA
9.7 9.8	Flashpoint: Upper/Lower Flammability	NA
	Limits:	NA
9.9	Vapor Pressure:	NA
9.10	Vapor Density:	NA
9.11	Relative Density:	NA
9.12	Solubility:	NA
9.13	Partition Coefficient (log Pow):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	NA
9.17	Other Information:	NA NA
		10. STABILITY & REACTIVITY
10.1	Stability:	Stable under normal conditions.
10.2	Hazardous Decomposition	Oxides of carbon (CO, CO ₂), metal oxides, particulates.
10.3	Products: Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Open flames, high heat, incompatible substances and direct sunlight.
10.5	Incompatible Substances:	Avoid extreme heat and ignition sources. Store away from oxidizers, strong acids and alkalis.
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product, but is not presented in this document.
11.3	Acute Toxicity:	Irritant contact dermatitis may result from prolonged contact with the product, the causative agents being glove powder and surfactants and inadequate rinsing after use. There are no evidence of any adverse effects from available information of sulfur, zinc oxide and titanium dioxide. However, presence of residual ZDEC, ZMBT and anti-oxidants on the product surface may cause delayed type IV hypersensitivity e.g. allergic contact dermatitis, chemical allergy. Reactions include itching, burning sensations, blistering, reddening and pain. In chronic cases, users may develop dry and thickened skin, cracks, peeling and crusting.
11.4	Chronic Toxicity:	See Section 4.5
11.5	Suspected Carcinogen:	NA
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.
11.8	Biological Exposure Indices:	NE
11.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There are no specific data available for this product.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.
12.3	Effects on Aquatic Life:	There are no specific data available for this product.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	
13.1	Special Considerations:	Dispose of in accordance with federal, state, provincial and local regulations.
10.2		NA

HARBOR FREIGHT TOOLS

SAFETY DATA SHEET

Page 4 of 5 **HFT-68511**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1

SDS Revision Date: 7/25/2015

		14. TRANSPORTATION INFORMATION
The	basic description (ID Nun	ber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional
		e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.
14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED
		15. REGULATORY INFORMATION
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements.
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory or are otherwise exempt.
15.4	CERCLA Reportable Quantity	NA
15.5	(RQ): Other Federal Requirements:	None of the ingredients are listed as Hazardous Air Pollutants (HAPs). None of the ingredients are listed as Toxic
10.0	Other rederar Requirements.	Pollutants under the Clean Water Act (CWA). None of the ingredients are listed as Priority Pollutants under the Clean Water Act (CWA). This product does not contain any Class 1 or Class 2 ozone depletors.
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects).
15.7	State Regulatory Information:	Potassium Hydroxide is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), Pennsylvania Right-to-Know List (PA) and Washington Permissible Exposures List (WA). None of the other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MA), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).
15.8	Other Requirements:	The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: Harmful (Xn). <u>Risk Phrases</u> (R): 20-38 – Harmful if inhaled. Irritating to skin. <u>Safety Phrases</u> (S): 2- 23-24-62 - Keep away from children. Do not breathe dust. Avoid contact with skin. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible.
		16. OTHER INFORMATION
16.1	Other Information:	WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. Avoid breathing dust. IF INHALED: Call a POISON
		CENTER/doctor if you feel unwell. Wear protective gloves/eye protection/face protection. IF ON SKIN - Wash with soap
		and water. If skin irritation occurs: Get medical advice/attention. KEEP OUT OF REACH OF CHILDREN.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Harbor Freight Tools USA, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
16.4	Prepared for:	Harbor Freight Tools USA, Inc. 26541 Agoura Road Calabasas, CA 91302 USA Tel: +1 (805) 388-1000 http://www.harborfreight.com
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com

SAFETY DATA SHEET

Page 5 of 5 HFT-68511

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1

SDS Revision Date: 7/25/2015

FLAMMABILITY

DEFINITION OF TERMS

HAZARD RATINGS:

0 Minimal Hazard

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE	EXPOSURE LIMITS IN AIR:						
ACGIH	American Conference on Governmental Industrial Hygienists						
C	Ceiling Limit						
ES	Exposure Standard (Australia)						
IDLH	Immediately Dangerous to Life and Health						
OSHA	U.S. Occupational Safety and Health Administration						
PEL	Permissible Exposure Limit						
STEL	Short-Term Exposure Limit						
TLV	Threshold Limit Value						
TWA	Time Weighted Average						
FIRST AID M	FIRST AID MEASURES:						

FIRST AID MEASURES

CPR Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HMIS-	HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:								
0	Minimal Hazard		HEALTH						
1	Slight Hazard		FLAMMABILITY						
2	Moderate Hazard		PHYSICAL HAZARDS						
3	Severe Hazard		PERSONAL PROTECTION						
4	Extreme Hazard								

PERSONAL PROTECTION RATINGS:

ppm parts per million

FLAMMABILITY LIMITS IN AIR:

Autoianition

Temperature

LEL

UFI

SCBA Self-Contained Breathing Apparatus
NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

source of ignition

Α					C	6	0	E		8	
В					ŀ	1	0	E		凸	
С			P.		I		0	F		8	
D	B		P.		•	J	0	E		Î	
Е					۲	(-	E		A	
F			中 日 日		>		Consult special I				r SOPs fe s.
Sa	fety Glasse	es	Splash	Goggles			Shield &			Glove) es
	Boots		Synthet	ic Apron		R	ive Eyew)	Du	st Res	pirator
			Dust & Va	apor Half-		Fu	P II Face		Airli	The Hoo	d/Mask
1	Full Face Respirator Mask Respirator						spirator			or SC	BA
отн	OTHER STANDARD ABBREVIATIONS:										
<u> </u>	ML Maximum Limit mg/m3 milligrams per cubic meter										
	NA Not Available										
	ND		etermined								
	NE	Not Es	tablished								
	NF	Not Fo	ound								
	NR	No Re	sults								

Minimum temperature required to initiate combustion in air with no other

Lower Explosive Limit - lowest percent of vapor in air, by volume, that will

Upper Explosive Limit - highest percent of vapor in air, by volume, that will

explode or ignite in the presence of an ignition source

explode or ignite in the presence of an ignition source

1 Slight Hazard REACTIVITY 2 Moderate Hazard 3 Severe Hazard 4 Extreme Hazard ACD Acidic ALK Alkaline COR Corrosive HEALTH ₩ Use No Water SPECIAL ox Oxidizer PRECAUTIONS TREFOIL Radioactive TOXICOLOGICAL INFORMATION: Lethal Dose (solids & liquids) which kills 50% of the exposed animals LD₅₀ LC₅₀ Lethal concentration (gases) which kills 50% of the exposed animal Concentration expressed in parts of material per million parts ppm TDIo Lowest dose to cause a symptom TCLo Lowest concentration to cause a symptom TD_{Io}, LD_{Io}, & LD_o or Lowest dose (or concentration) to cause lethal or toxic effects TC, TC_o, LC_{io}, & LC_o IARC International Agency for Research on Cancer NTP National Toxicology Program RTECS Registry of Toxic Effects of Chemical Substances BCF **Bioconcentration Factor** \mathbf{TL}_{m} Median threshold limit log K_{ow} or log K_{oc} Coefficient of Oil/Water Distribution **REGULATORY INFORMATION:** WHMIS Canadian Workplace Hazardous Material Information System **DOT** U.S. Department of Transportation тс Transport Canada EPA U.S. Environmental Protection Agency DSL Canadian Domestic Substance List **NOHSC** National Occupational Health and Safety Commission (Australia) NDSL Canadian Non-Domestic Substance List PSL Canadian Priority Substances List TSCA U.S. Toxic Substance Control Act EU European Union (European Union Directive 67/548/EEC) WGK Wassergefährdungsklassen (German Water Hazard Class) HMIS-III National Paint & Coatings Association Hazardous Materials Identification System WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM: 囊 Ř 0 44 ð Class A Class B Class C Class D1 Class D2 Class D3 Class F Class F Flammable Oxidizing Toxic Irritation Infectious Compressed Corrosive Reactive EC (67/548/EEC) INFORMATION: Q -T × 4 С Е F Ν 0 т Xi Xn Corrosive Oxidizing Explosive Flammable Harmful Toxic Irritant Harmful CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\diamond		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment