

Product Name:

Chemical Name:

Synonyms:

Trade Names

Distributor's Name:

Distributor's Address:

Product Uses & Restrictions:

12

1.3

1.4

1.5

1.6

1.7

1.8

1.9

2.1

SAFETY DATA SHEET

Page 1 of 5 HFT-92155

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1

SDS Revision Date: 7/27/2015

1. PRODUCT & COMPANY IDENTIFICATION					
25 LBS FINE GRADE WALNUT SHELL BLAST MEDIA					
NA					
P/N 92155					
Harbor Freight Tools					
Cleaner Degreaser					
Harbor Freight Tools USA, Inc.					

26541 Agoura Road, Calabasas, CA 91302 USA Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 676687) Business Phone / Fax: +1 (805) 388-1000

2. HAZARDS IDENTIFICATION

Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia). WARNING! CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. WALNUT SHELL MAY CONTAIN TRACE AMOUNTS OF WALNUT PROTEINS THAT HAVE BEEN KNOWN TO CAUSE ALLERGIC REACTION.

Classification: Skin Irrit.2; Eye Irrit. 2A

<u>Hazard Statements</u> (H): H315 – Causes skin irritation. H317 – May cause an allergic skin reaction. H319 – Causes serious eye irritation.

Precautionary Statements (P): P261 - Avoid breathing dust. P264 - Wash exposed skin areas thoroughly with soap and water after handling. P272 - Contaminated work clothing should not be lace. P280 – Wear protective gloves/protective clothing/eye P302+P352 – IF ON SKIN: Wash with soap and water. allowed out of the workplace. protection/face protection. P305+P351+P338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. P333+P313 - If skin irritation or a rash occurs - Get medical advice/attention. P321 - For specific first aid treatment (see Section 4 of this Safety Data Sheet). P363 - Wash contaminated clothing before reuse. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).



3. COMPOSITION & INGREDIENT INFORMATION

					EXPOSURE LIMITS IN AIR (mg/m³)								
					AC	GIH		NOHSC			OSHA		
					pp	m		ppm			ppm		
							ES-	ES-	ES-				
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
BACILLUS/MONASCUS/WALNUT	NA	NA	NA	60-100	NA	NA	NF	NF	NF	NA	NA	NA	
SHELL/SOYBEAN FERMENT													
FILTRATE (WALNUT SHELL)													

		4. FIRST AID MEASURES	
4.1	First Aid:	Ingestion: If ingested, do not induce vomiting. Contact the nearest Poison Control Center or local emerginumber. Provide an estimate of the time at which the material was ingested and the amount of substance that was swallowed.	,
		Eyes: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of luke water for at least 15 minutes. If irritation occurs, contact a physician.	∍warm
		Skin: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a tho washing of the affected area with soap and water. If irritation, redness or swelling persists, con physician immediately.	_
		Inhalation: Remove victim to fresh air at once.	
4.2	Effects of Exposure:	 Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Eyes: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritatio watering. 	n and
		Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermati some sensitive individuals. Inhalation: None expected.	itis) in
4.3	Symptoms of Overexposure:	Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include reditching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatisome sensitive individuals.	
4.4	Acute Health Effects:	Moderate irritation to eyes. Moderate irritation to skin near affected areas.	
4.5	Chronic Health Effects:	No harmful or chronic health effects are expected to occur from a single accidental ingestion.	
	•		

HARBOR FREIGHT TOOLS Quality Tools at Ridiculously Low Prices

SAFETY DATA SHEET

Page 2 of 5 HFT-92155

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 7/27/2015 4. FIRST AID MEASURES - cont'd 4.6 Target Organs: Eyes, Skin Pre-existing dermatitis, other skin conditions, and disorders of the 47 Medical Conditions **HEALTH** 1 Aggravated by Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 0 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards 5.1 This product is non-flammable. When exposed to high temperatures, may produce hazardous decomposition products such as oxides of carbon (e.g., CO, CO₂) and nitrogen (e.g., NO_x) and Extinguishing Methods: 5.2 Water, Foam, CO2, Dry Chemical 5.3 Firefighting Procedures: As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). For $\underline{small\ spills}$ (e.g., < 1 gallon (3.8 L)) or $\underline{large\ spills}$ (e.g., \geq 1 gallon (3.8 L)), wear appropriate personal protective equipment (e.g., goggles, gloves). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. Keep spills and cleaning runoffs out of drains, municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink, or smoke while handling this product. 7.2 Storage & Handling Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat and open flames. 7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: ACGIH NOHSC OSHA OTHER 8.1 ppm (mg/m³) ES-STEL STEL STEL CHEMICAL NAME(S) TLV ES-TWA **ES-PEAK** IDLH NA NA NF NF NF NA 8.2 Ventilation & Engineering Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, EU member states, or Australia. 8.4 Eye Protection: Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. Have suitable eye wash water available. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). 8.5 Hand Protection: Use gloves constructed of chemical-resistant materials such as neoprene or heavy nitrile rubber if frequent or prolonged contact is expected. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, or the EU member states. Body Protection: Avoid prolonged and/or repeated skin contact. Use clean and impervious protective clothing (e.g., 8.6 neoprene or Tyvek®). Protective clothing should include long-sleeves, apron, boots and additional facial

protection. If necessary, refer to appropriate standards of Canada, the EU member states, or U.S.

OSHA



13.1

13.2

Waste Disposal:

Special Considerations:

NA

SAFETY DATA SHEET

Page 3 of 5

HFT-92155 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 7/27/2015 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Light brown 92 Odor No odor 9.3 Odor Threshold: NA 9.4 NA 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 NA 9.7 Flashpoint: 193.3 °C (380 °F) Upper/Lower Flammability 9.8 NA 99 Vapor Pressure: NA 9.10 Vapor Density: NA 9.11 Relative Density: 1.2 9.12 Solubility: Insoluble (water) Partition Coefficient (log Pow): 9.13 NA 9.14 Autoignition Temperature NA 9.15 Decomposition Temperature: NA NA 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability This product is stable. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂) and sulfur (SO₂). Products 10.3 Hazardous Polymerization: Conditions to Avoid: Open flames, sparks and high heat over 60 °C (140 °F). Cold under -23.3 °C (-10 °F) 104 10.5 Incompatible Substances: Strong oxidizing agents, sources of ignition. 11. TOXICOLOGICAL INFORMATION Routes of Entry: 11.1 Inhalation: NO Ingestion: YES 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product, but is not presented in this document. 11.3 Acute Toxicity: See Section 4.4 11.4 Chronic Toxicity: See Section 4.5 11.5 Suspected Carcinogen: NA 11.6 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure 11.8 Biological Exposure Indices: NE 11.9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There are no specific data available for this product. 122 Effects on Plants & Animals: There are no specific data available for this product 12.3 Effects on Aquatic Life: There are no specific data available for this product

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with federal, state, provincial and local regulations



SAFETY DATA SHEET

Page 4 of 5 HFT-92155

Prepa	red to OSHA, ACC, ANSI, N	OHSC, WHMIS, 2001/58 & 1272/2008/EC Standards	SDS Revision: 1.1	SDS Revision Date: 7/27/2015					
		14. TRANSPORTATIO	N INFORMATION						
	The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional								
	descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 14.1 49 CFR (GND): NOT REGULATED								
14.1	IATA (AIR):	NOT REGULATED NOT REGULATED							
14.3	IMDG (OCN):	NOT REGULATED							
14.4	TDGR (Canadian GND):	NOT REGULATED							
14.5	ADR/RID (EU):	NOT REGULATED							
14.6	SCT (MEXICO):	NOT REGULATED							
14.7	ADGR (AUS):	NOT REGULATED							
45.4	CADA Dementina	15. REGULATORY I							
15.1	SARA Reporting Requirements:	This product does not contain any substances sul	oject to SARA Title III, Section 31	3 reporting requirements.					
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantiti	ies for the components of this pro	oduct.					
15.3	TSCA Inventory Status:	The components of this product are listed on the	TSCA Inventory or are otherwise	exempt.					
15.4	CERCLA Reportable Quantity (RQ):	NA							
15.5	Other Federal Requirements:	None of the ingredients are listed as Hazardou Pollutants under the Clean Water Act (CWA). N Water Act (CWA). This product does not contain	one of the ingredients are listed	as Priority Pollutants under the Clean					
15.6	Other Canadian Regulations:	This product has been classified according to the all of the information required by the CPR.	e hazard criteria of the CPR and he components of this product	the SDS contains are listed on the					
15.7	State Regulatory Information:	DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. None of the ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).							
15.8	Other Requirements:	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC: Irritant (Xi). Risk Phrases (R): 36 – Irritating to eyes. Safety Phrases (S): 2-26 – Keep out of reach of children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.							
		16. OTHER INFO	ORMATION						
16.1									
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.							
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Harbor Freight Tools USA, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.							
16.4	Prepared for:	Harbor Freight Tools USA, Inc. 26541 Agoura Road Calabasas, CA 91302 USA Tel: +1 (805) 388-1000 http://www.harborfreight.com/	HARBOR FREIGHT						
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com							

SAFETY DATA SHEET

Page 5 of 5 HFT-92155

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1

SDS Revision Date: 7/27/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

1	CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists	
С	C Ceiling Limit	
ES Exposure Standard (Australia)		
IDLH	Immediately Dangerous to Life and Health	
OSHA	OSHA U.S. Occupational Safety and Health Administration	
PEL Permissible Exposure Limit		
STEL	STEL Short-Term Exposure Limit	
TLV	TLV Threshold Limit Value	
TWA	TWA Time Weighted Average	

FIRST AID MEASURES:


CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.


HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	1 Slight Hazard	
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:





















Dust & Vapor Half-Mask Respirator

Full Face Respirator

Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit	
mg/m3	milligrams per cubic meter	
NA	A Not Available	
ND	Not Determined	
NE	Not Established	
NF	Not Found	
NR	No Results	
ppm	ppm parts per million	
SCBA	Self-Contained Breathing Apparatus	

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:					
Autoignition	Minimum temperature required to initiate combustion in air with no other					
Temperature	source of ignition					
LEL	LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, that will					
	explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will					
	explode or ignite in the presence of an ignition source					

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{io} , & LC _o	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NOHSC	National Occupational Health and Safety Commission (Australia)
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

	*	(\odot	(18)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

		*	*		®	×	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\limits	***	
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environ- ment