HARBOR FREIGHT TOOLS

Quality Teols at Ridiculously Low Prices

# **SAFETY DATA SHEET**

Page 1 of 6 **HFT-95515** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 4/30/2015

				T & COM					TIO	<u>N</u>				
1.1	Product Name:	MEGUIA	ARS <sup>™</sup> DEE	P CRYST	AL CA	AR W	/AS	<u>H</u>						
1.2	Chemical Name:	NA												
1.3	Synonyms:	P/N 95515												
1.4	Trade Names:	Meguiars™												
1.5	Product Uses & Restrictions:	Car Wash												
1.6	Distributor's Name:		arbor Freight Tools USA, Inc.											
1.7	Distributor's Address:	26541 Agour	a Road, Calab	asas, CA 9130	2 USA									
1.8	Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 676687)													
1.9	Business Phone / Fax:	+1 (805) 388	-1000											
			2 H	A7ARDS I	DENT	IFIC	ΔΤΙ	)N						
2.1	2.1 Hazard Identification:  This product is classified as a hazardous substance but not as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia).  WARNING! CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION.  Classification: Skin Irrit.2; Skin Sens. 1B; Eye Irrit. 2A  Hazard Statements (H): H315 – Causes skin irritation. H319 – Causes serious eye irritation.  Precautionary Statements (P): P280 – Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 – IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P333+P313  — If skin irritation or a rash occurs – Get medical advice/attention.													
		3. C	OMPOSIT	ION & INC	RFDI	FNT	· INF	OR	MAT	ION				
		<del></del>	<u> </u>	1011 0 1111				<u> </u>		SURE L	IMITS II	N AIR (n	ng/m³)	
						AC	GIH		NOHSC			OSHA		
						pp	om		ppm			ppm		
CHEM	CAL NAME(C)	CAS No.	RTECS No.	EINECS No.	0/	TLV	STEL	ES- TWA	ES-	ES- PEAK	PEL	STEL	IDLH	OTHER
	CAL NAME(S)	NA	NA	NA	% 60-100	NA	NA	NF	STEL NF	NF	NA	NA	NA	OTHER
MEGL	JIARS™ – PROPIETARY	10.	100	10.1	100 100	1.0.1							1	<u> </u>
	HOLS, C10-16,	68585-34-2	NA	500-223-8	3-7	NA	NA	NF	NF	NF	NA	NA	NA	
	XYLATED, SULFATES, JM SALTS	Skin Irrit. 2; E	Eye Irrit. 2; H315,	H319										
	NIC SURFACTANT	NA	NA	NA	1-5	NA	NA	NF	NF	NF	NA	NA	NA	
		NA	NA	NA	1-5	NA	NA	NF	NF	NF	NA	NA	NA	
ALKA	NOLAMIDE		•	•		ı						1		•
COCA	MIDE DEA	68603-42-9	NA	271-657-0	0.1-2	NA	NA	NF	NF	NF	NA	NA	NA	
COCF	WIDE DEA		ye Irrit. 2; H315,			1							_	1
COCA	MIDOPROPYLBETAINE	61789-40-0	NA NA	263-058-8	0.1-2	NA	NA	NF	NF	NF	NA	NA	NA	
		Skin Irrit. 2; E	Eye Irrit. 2; H315,	H319										
			4.	FIRST AI	D ME	ASU	RES	<u> </u>						
4.1	First Aid:	Ingestion: DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.    Eyes: Flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek immediate medical attention.    Skin: Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned.    Inhalation: Remove victim to fresh air at once. If breathing is difficult, administer supplemental oxygen and seek immediate medical attention. If breathing stops, perform artificial respiration.												
4.2														

HARBOR FREIGHT TOOLS

Quality Tools at Ridiculously Low Prices

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

## SAFETY DATA SHEET

SDS Revision: 1.0

Page 2 of 6 **HFT-95515** 

SDS Revision Date: 4/30/2015

4. FIRST AID MEASURES - cont'd Overexposure in eyes may cause redness, itching and watering (risk of serious damage to eyes). 4.3 Symptoms of Overexposure: Eyes: Contact may cause serious eye irritation including stinging, watering, redness. Prolonged contact with skin may result in bleaching and irritation of skin. The product can cause allergic Skin: skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. 44 Acute Health Effects: Moderate irritation to eyes. Moderate irritation to skin near affected areas. Acute health hazards may be delayed. Most common symptoms include irritating properties to eyes, respiratory system and skin. 4.5 Chronic Health Effects: No harmful or chronic health effects are expected to occur from a single accidental ingestion. These ingredients may be irritating to skin and mucous membrane of the eye and respiratory system. Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis. Eyes, Skin. 4.6 Target Organs: 47 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 1 Aggravated by Exposure: target organs (eyes, skin) or impaired kidney function may be more **FLAMMABILITY** 0 susceptible to the effects of this substance. PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards Will not burn, but decomposition, which may be caused by heat, will release oxygen which will increase the explosive limit range and burning rate of flammable vapors. As a result of combustion and thermal decomposition, oxidation products may form and exposure to such products may result in health hazards Extinguishing Methods: Foam, CO<sub>2</sub>, Water Fog or Dry Chemical 5.3 Firefighting Procedures: Fight fires as for surrounding materials. Firefighters should wear a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Cool containers with water spray to prevent pressure build-up, auto-ignition or explosion. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of drains, municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Use normal hygiene practices. Avoid direct skin contact. Wash hands thoroughly after using this product and before eating, drinking, or smoking. Good personal hygiene practices, such as washing any skin contact areas and removing contaminated clothing, are recommended. 7.2 Storage & Handling: Keep away from sources of heat. 7.3 Special Precautions: Follow all instructions on product label. Keep container closed when not in use. Keep this and all chemicals out of reach of children.

### HARBOR FREIGHT TOOLS Quality Tests at Midiculously Low Prices

# **SAFETY DATA SHEET**

Page 3 of 6 **HFT-95515** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 4/30/2015

		8. EXPOSURE CONTR	OLS	& PEF	RSON	<b>AL PR</b>	OTE	CTIO	N		
3.1	Exposure Limits:			CGIH		NOHSC		<u> </u>	OSHA		OTHER
	ppm (mg/m <sup>3</sup> )	CHEMICAL NAME(S)	TLV	STEL	ES- TWA	ES-STEL	ES- PEAK	PEL	STEL	IDLH	
				0.22			,		0.22		
.2	Ventilation & Engineering Controls:	General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use lo exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the happroduct. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash s								handling of th	
3.3	Respiratory Protection:	instances where mist or vapors of the only protection authorized by 29 CF	o special respiratory protection is required under typical circumstances of use or handling. In stances where mist or vapors of this product are generated, and respiratory protection is needed, use nly protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian AS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or ustralia.								
8.4	Eye Protection:	Always use protective eyewear wh splashing or spraying is anticipated. concentrate irritants. Have suitable	ear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. ways use protective eyewear when cleaning spills or leaks. Wear goggles and/or face shield if plashing or spraying is anticipated. Contact lenses pose a special hazard; soft lenses may absorb and procentrate irritants. Have suitable eye wash water available. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).								
8.5	Hand Protection:	Use gloves constructed of chemical frequent or prolonged contact is exp	see gloves constructed of chemical-resistant materials such as neoprene or heavy nitrile rubber if equent or prolonged contact is expected. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the ppropriate standards of Canada, or the EU member states.								
8.6	Body Protection:	Avoid prolonged and/or repeated s neoprene or Tyvek®) if splashing or long-sleeves, apron, boots and addi of Canada, the EU member states, o	sprayir tional fa	ng condition acial prote	ons are p	oresent. P	rotective	e clothii	ng should	include	
		9. PHYSICAL &	CHE	<b>MICA</b>	L PRO	<b>OPERT</b>	TES				
9.1	Appearance:	Blue Green Liquid.									
9.2	Odor:	Pleasant Clean Smell.									
9.3	Odor Threshold:	NA									
9.4	pH:	7.90-8.75									
9.5	Melting Point/Freezing Point:	NA									
9.6	Initial Boiling Point/Boiling Range:	100 °C (212 °F)									
9.7	Flashpoint:	NA									
9.8	Upper/Lower Flammability Limits:	NA									
9.9	Vapor Pressure:	NA									
9.10	Vapor Density:	NA									
9.11	Relative Density:	1.0 g/mL									
9.12	Solubility:	Complete									
9.13	Partition Coefficient (log Pow):	NA									
9.14	Autoignition Temperature:	NA									
	Decomposition Temperature:	NA									
9.16	Viscosity:	800-1,500 cSt									
9.17	Other Information:	VOC: NA									
		40. OTAB		, a DE	A OTI	/IT\/					
0.1	Chability v	10. STAB		& KE	ACII	VIIY					
0.1	Stability:	Stable under normal conditions of us	e.								
0.2	Hazardous Decomposition Products:	None known.									
0.3	Hazardous Polymerization:	Will not occur.									
10.4	Conditions to Avoid:	Strong oxidizers.									

HARBOR FREIGHT TOOLS
Quality Tools at Ridiculously Low Prices

## SAFETY DATA SHEET

Page 4 of 6 HFT-95515

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 4/30/2015 11. TOXICOLOGICAL INFORMATION Ingestion: YES 11.1 Routes of Entry: Inhalation: YES Absorption: YES 112 Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document. This product is neither a primary eye nor primary skin irritant per Federal Hazardous Substances Act (FHSA) regulations. 11.3 Acute Toxicity: See section 4.5 11.4 Chronic Toxicity: See section 4.6 11.5 Suspected Carcinogen: NA 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity This product is not reported to produce mutagenic effects in humans. Embryotoxicity This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 11.8 Biological Exposure Indices: 11.9 Physician Recommendations: Treat symptomatically 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There are no specific data available for this product. 12.2 Effects on Plants & Animals: There are no specific data available for this product. 12.3 Effects on Aquatic Life: There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Dispose of in accordance with federal, state, provincial and local regulations. 13.2 Special Considerations 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 14.1 49 CFR (GND): **NOT REGULATED** 14.2 IATA (AIR)\*: **NOT REGULATED** 14.3 IMDG (OCN): **NOT REGULATED** 14.4 TDGR (Canadian GND): **NOT REGULATED** 14.5 ADR/RID (EU): **NOT REGULATED** SCT (MEXICO): 14.6 **NOT REGULATED** ADGR (AUS): **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting 15 1 This product does not contain any substances subject to SARA Title III, section 313 reporting requirements. Requirements 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity 15.3 TSCA Inventory Status The components of this product are listed on the TSCA Inventory or are otherwise exempt. 15.4 CERCLA Reportable Quantity NA 15.5 Other Federal Requirements: NA 15.6 Other Canadian Regulations This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). 15.8 Other Requirements: The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC: Irritant (Xi). Risk Phrases (R): 36/38 - Irritating to eyes and skin. Safety Phrases (S): 2-26-28 -Keep out of reach of children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After skin contact wash with plenty of water.

HARBOR FREIGHT TOOLS
Quality Tools at Ridiculously Low Prices

# **SAFETY DATA SHEET**

Page 5 of 6 **HFT-95515** 

Prepa	red to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 4											
	16. OTHER INFORMATION											
16.1	1 Other Information: WARNING! CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If skin irritation or a rash occurs – Get medical advice/attention. KEEP OUT OF REACH OF CHILDREN.											
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.										
16.3	Disclaimer:	government regulations must be reviewed for an Tools USA, Inc.'s knowledge, the information accuracy, suitability or completeness is not guar provided. The information contained herein relationships to the information contained herein relationships the	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Harbor Freight Tools USA, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to									
16.4	Prepared for:	Harbor Freight Tools USA, Inc. 26541 Agoura Road Calabasas, CA 91302 USA Tel: +1 (805) 388-1000 http://www.harborfreight.com		FREIGHT s at Ridiculously Low								
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com										

## **SAFETY DATA SHEET**

Page 6 of 6 **HFT-95515** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 4/30/2015

#### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number				
EXPOSURE	LIMITS IN AIR:				
ACGIH	American Conference on Governmental Industrial Hygienists				
С	Ceiling Limit				
ES	Exposure Standard (Australia)				
IDLH	Immediately Dangerous to Life and Health				
OSHA	U.S. Occupational Safety and Health Administration				
PEL	Permissible Exposure Limit				
STEL	Short-Term Exposure Limit				
TLV	Threshold Limit Value				
TWA	Time Weighted Average				

#### FIRST AID MEASURES:


CPR Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

#### HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard				
1	1 Slight Hazard				
2	Moderate Hazard				
3	Severe Hazard				
4	Extreme Hazard				



#### PERSONAL PROTECTION RATINGS:







Splash Goggles





Synthetic Apron



Dust Respirator

**Full Face Respirator** 

Dust & Vapor Half-Mask Respirator

Full Face Respirator

Airline Hood/Mask or SCBA

#### OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit			
mg/m3	milligrams per cubic meter			
NA Not Available				
ND	Not Determined			
NE	Not Established			
NF	Not Found			
NR	No Results			
ppm parts per million				
SCBA Self-Contained Breathing Apparatus				

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:							
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition						
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source						
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source						

#### **HAZARD RATINGS:**

0	Minimal Hazard				
1	Slight Hazard				
2	Moderate Hazard				
3	Severe Hazard				
4	Extreme Hazard				
ACD	Acidic				
ALK	Alkaline				
COR	Corrosive				
₩	Use No Water				
ох	Oxidizer				
TREFOIL	Radioactive				



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC <sub>o</sub> , LC <sub>lo</sub> , & LC <sub>o</sub>	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL <sub>m</sub>	Median threshold limit
log K <sub>ow</sub> or log K <sub>oc</sub>	Coefficient of Oil/Water Distribution

#### REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	Transport Canada			
EPA U.S. Environmental Protection Agency				
DSL Canadian Domestic Substance List				
NOHSC	National Occupational Health and Safety Commission (Australia)			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System			

#### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(*)</b>	<b>(</b>	<b>@</b>	$\odot$	<b>®</b>		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### EC (67/548/EEC) INFORMATION:

The state of the s		M	*			X	X
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$			$\Diamond$		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment