HARBOR FREIGHT TOOLS

Product Name:

Chemical Name:

Synonyms:

Trade Names

Distributor's Name:

Emergency Phone:

Distributor's Address:

Business Phone / Fax:

Product Uses & Restrictions

1.1

12

1.3

1.4

1.5

1.6

1.7

1.8

19

SAFETY DATA SHEET

Page 1 of 6 HFT-96059

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

+1 (805) 388-1000

SDS Revision: 1.1

SDS Revision Date: 7/27/2015

	1. PRODUCT & COMPANY IDENTIFICATION						
	0.20 OZ SEMI-PERMANENT THREADLOCK						
	Methacrylate Monomer						
	P/N 96059						
	Harbor Freight Tools USA, Inc.						
is:	Threadlocker						
	Harbor Freight Tools USA, Inc.						
	26541 Agoura Road, Calabasas, CA 91302 USA						
	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 676687)						

2. HAZARDS IDENTIFICATION

2.1 Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia). WARNING! CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. Classification: Skin Irrit.2; Skin Sens. 1B; Eye Irrit. 2a; STOT SE 3 Hazard Statements (H): H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 – Causes serious eye irritation. H335 – May cause respiratory irritation. P264 - Wash exposed skin areas thoroughly with soap and water after handling. P272 -



Precautionary Statements (P): P210 - Keep away from heat/sparks/open flame/hot surfaces - No Smoking. P233 - Keep container tightly closed. P261 - Avoid breathing fume/ mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - IF ON SKIN: Wash with soap and water. P305+P351+P338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. P333+P313 - If skin irritation or a rash occurs - Get medical advice/attention. P321 - For specific first aid treatment (see Section 4 of this Safety Data Sheet). P363 - Wash contaminated clothing before reuse. P370+P378 - In case of fire, CO₂, Halon (if permitted), dry chemical, or foam for extinction. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).

3. COMPOSITION & INGREDIENT INFORMATION

				EXPOSURE LIMITS IN AIR (mg/m³)									
					AC	GIH		NOHSC			OSHA		
					pp	om		ppm			ppm		
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
METHACRYLATE MONOMER	25852-47-5	NA	NA	60-65	NA	NA	NF	NF	NF	NA	NA	NA	
WETHACKTEATE WONOWER													
POLYETHYLENE GLYCOL ESTER	18268-70-7	Na	242-149-6	25-30	NA	NA	NF	NF	NF	NA	NA	NA	_
POLITETHTLENE GLICOL LOTEN		<u>.</u>	<u>.</u>										
SILICA	67762-90-7	NA	231-545-4	2-5	(10)	NA	NF	NF	NF	NA	NA	NA	
SILICA													
SACCHARIN	81-07-2	DE4200000	201-321-0	2-5	NA	NA	NF	NF	NF	NA	NA	NA	
SACCHARIN													
	80-15-9	MX2450000	201-254-7	1-3	NA	NA	NF	NF	NF	NA	NA	NA	1 WEEL
CUMENE HYDROPEROXIDE		Org. Perox. E; Act 27, H242, H302 +					n Corr.	1B; Eye	Dam.	1; STO	T RE 2;	Aquati	ic Acute 2; Aquatic
4													

4. FIRST AID MEASURES

4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
		Eyes:	Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes lifting upper and lower lids, occasionally.
		<u>Skin</u> :	Wash thoroughly with soap and water. In case of contact, immediately flush skin with plenty of water for at least 15 minutes.
		Inhalation:	Remove victim to fresh air at once. If breathing is difficult, administer oxygen. If breathing stops give artificial respiration. Keep person warm, quiet and get medical attention.

HARBOR FREIGHT TOOLS

7.3

SAFETY DATA SHEET

Page 2 of 6

HFT-96059 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 7/27/2015 4. FIRST AID MEASURES - cont'd If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system 42 Effects of Exposure: Ingestion: Vapor of this product may be mildly to moderately irritation to the eyes. Symptoms of overexposure may Eyes: include redness, itching, irritation and watering. May be irritating to skin in some sensitive individuals, especially after prolonged or repeated skin Skin: contact. May bond skin to clothing and release heat, causing burns. Inhalation of vapors is unlikely under normal conditions of use. Vapors of this product may be slightly Inhalation: irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of vapors exceeding the levels listed in Section 3 (Composition and Ingredient Information) can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea) 4.3 Symptoms of Overexposure Symptoms of skin overexposure in some sensitive individuals may include redness, itching, and irritation of affected areas. Overexposure of vapor in eyes may cause redness, itching and watering. 4.4 Acute Health Effects: Mild to moderate irritation to skin near affected areas. Vapor of this product may be mildly to moderately irritating to the eyes and mucous membranes. Symptoms of overexposure may include redness, itching, irritation and watering. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea. 4.5 Chronic Health Effects: None known. 4.6 Target Organs: Eyes, Skin, Respiratory System. Medical Conditions Aggravated by Exposure: Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 1 target organs (eyes, skin, and respiratory) **FLAMMABILITY** 1 PHYSICAL HAZARDS 1 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: This material can burn but will not readily ignite. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO, COx, Hydrocarbons) Extinguishing Methods: 5.2 CO₂, Dry Chemical, Alcohol Foam. Use water spray to cool containers. 5.3 Firefighting Procedures: Keep containers cool until well after the fire is out. Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fireexposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of drains, municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Avoid prolonged or repeated skin contact. Avoid breathing vapors of this product. Use eye protection when using this 7.1 product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). After use, wash hands and exposed skin with soap & water. Do not eat, drink or smoke while handling product. 7.2 Storage & Handling: Open containers slowly on a stable surface. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product; therefore, empty containers should be handled with care. Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (see Section 10, Stability and Reactivity). Special Precautions: Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may

contain residual amounts of this product; therefore, empty containers should be handled with care.

Page 3 of 6

SAFETY DATA SHEET HARBOR FREIGHT TOOLS HFT-96059 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 7/27/2015 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: ACGIH OSHA OTHER ppm (mg/m³) ES-STEL CHEMICAL NAME(S) STEL **ES-TWA ES-PEAK** PEL STEL IDLH **CUMENE HYDROPEROXIDE** NA NA NF NF NF NA NA NA 8.2 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general Controls exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station) Respiratory Protection: 8.3 No special respiratory protection is required under typical circumstances of use or handling. In instances where mist or vapors of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8 4 Eve Protection: Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Wear goggles and/or face shield if splashing or spraying is anticipated. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. Have suitable eye wash water available. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU). 8.5 Hand Protection: Use gloves constructed of chemical-resistant materials such as neoprene or heavy nitrile rubber if frequent or prolonged contact is expected. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, or the EU member states. 8.6 Body Protection: Avoid prolonged and/or repeated skin contact. Use clean and impervious protective clothing (e.g., neoprene or Tyvek®) if splashing or spraying conditions are present. Protective clothing should include long-sleeves, apron, boots and additional facial protection. If necessary, refer to appropriate standards of Canada, the EU member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Blue opaque liquid Mild cumene odor 9.3 Odor Threshold: NA 9.4 pH: NA 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 > 149 °C (> 300 °F) Range: 9.7 Flashpoint > 200 °C (> 392 °F) PMCC 9.8 Upper/Lower Flammability NA 9.9 Vapor Pressure: NA 9.10 Vapor Density Heavier than air 9.11 Relative Density: 1.04 9.12 Solubility Insoluble Partition Coefficient (log Pow): 9.13 NA 9.14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: NA Other Information: 9.17 NA 10. STABILITY & REACTIVITY 10.1 Stability Stable under normal conditions; unstable with heat or contamination. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂). 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid Open flames, sparks, high heat, incompatible substances and direct sunlight. 10.5 Incompatible Substances: Avoid extreme heat and ignition sources, strong acids and alkalis, reactive metals and strong oxidizing agents. 11. TOXICOLOGICAL INFORMATION

Absorption: YES Ingestion: YES Routes of Entry: Inhalation: YES 11 1 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product, but is not presented in this document. 11.3 Acute Toxicity See Section 4.4 11.4 Chronic Toxicity: See Section 4.5 11.5 Suspected Carcinogen: Saccharin is listed as IARC Group 3 (Not classifiable as to its carcinogenicity to humans)

HARBOR FREIGHT TOOLS

Quality Tools at Ridiculously Low Prices

SAFETY DATA SHEET

Page 4 of 6 HFT-96059

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 7/27/2015 11. TOXICOLOGICAL INFORMATION – cont'd 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity This product is not reported to produce mutagenic effects in humans. Embryotoxicity This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. Irritancy of Product: 11.7 The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 11.8 Biological Exposure Indices: ΝE Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There are no specific data available for this product. 12.2 Effects on Plants & Animals: There are no specific data available for this product. 12.3 Effects on Aquatic Life: There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13 1 Waste Disposal: Dispose of in accordance with federal, state, provincial and local regulations. 13.2 Special Considerations: 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR 49 CFR (GND): 14.1 **NOT REGULATED** 14.2 IATA (AIR): **NOT REGULATED** IMDG (OCN): 14.3 **NOT REGULATED** TDGR (Canadian GND): 14.4 **NOT REGULATED** 14.5 ADR/RID (EU): **NOT REGULATED** SCT (MEXICO): 14.6 NOT REGULATED 14.7 ADGR (AUS): **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting This product contains Cumene Hydroperoxide, a substance subject to SARA Title III, Section 313 reporting 15.1 Requirements requirements. 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory or are otherwise exempt. CERCLA Reportable Quantity 15.4 NA (RQ): None of the ingredients are listed as Hazardous Air Pollutants (HAPs). None of the ingredients are listed as Toxic 15.5 Other Federal Requirements: Pollutants under the Clean Water Act (CWA). None of the ingredients are listed as Priority Pollutants under the Clean Water Act (CWA). This product does not contain any Class 1 or Class 2 ozone depletors. 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. Saccharin is found on the following state criteria list: FL, MA, MN, NJ, PA and WI. Florida Toxic Substances List (FL), 15.7 State Regulatory Information: Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), Pennsylvania Right-to-Know List (PA), and Wisconsin Hazardous Substances List (WI). Cumene Hydroperoxide is found on the following state criteria list: FL, MA, NJ, PA, and WA. No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI) Other Requirements: The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: Cumene Hydroperoxide: Irritant (Xi); Risk Phrases (R): 36/37 - Irritating to eyes and respiratory system. Safety Phrases (S): 1/2-3/7-14-36/37/39-45 - Keep locked up and out of reach of children. Keep container tightly closed in a cool place. Wear suitable protective clothing, gloves and eye/face protection. In case of accident tor if you feel unwell seek medical advice immediately (show label where possible).

HARBOR FREIGHT TOOLS

Quality Tools at Midiculously Low Prices

SAFETY DATA SHEET

Page 5 of 6 **HFT-96059**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 7/27/2015 16. OTHER INFORMATION WARNING! CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS 16 1 Other Information: EYE IRRITATION. MAY CAUSE RESPIRATORY IRRITATION. Use only as directed. Keep away from heat/sparks/open flame/hot surfaces - No Smoking. Keep container tightly closed. Avoid breathing fume/ mist/vapors/spray. Wash exposed skin areas thoroughly with soap and water after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with soap and water. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. If skin irritation or a rash occurs - Get medical advice/attention. For specific first aid treatment (see Section 4 of this Safety Data Sheet). Wash contaminated clothing before reuse. In case of fire, CO₂, Halon (if permitted), dry chemical, or foam for extinction. Store in a well-ventilated place. Keep cool. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. Terms & Definitions: 16.2 See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Harbor Freight Tools USA, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: Harbor Freight Tools USA, Inc. 26541 Agoura Road HARBOR FREIGHT TOOLS Calabasas, CA 91302 USA Quality Tools at Ridiculously Low Pric Tel: +1 (805) 388-1000 http://www.harborfreight.com 16.5 Prepared by: ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600

> Fax: +1 (310) 370-5700 http://www.shipmate.com

SAFETY DATA SHEET

Page 6 of 6 HFT-96059

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 7/27/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number					
EXPOSURE	EXPOSURE LIMITS IN AIR:					
ACGIH American Conference on Governmental Industrial Hygienists						
С	Ceiling Limit					
ES	Exposure Standard (Australia)					
IDLH	Immediately Dangerous to Life and Health					
OSHA	U.S. Occupational Safety and Health Administration					
PEL	Permissible Exposure Limit					
STEL	Short-Term Exposure Limit					
TLV	Threshold Limit Value					
TWA	Time Weighted Average					

FIRST AID MEASURES:

Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body

HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			



PERSONAL PROTECTION RATINGS:

TERSONAL TROTECTION RATINGS.							
Α							
В							
С							
D							
Е							
F							













Protective Clothing & Full Suit

Dust Respirator



Dust & Vapor Half-Mask Respirator

Full Face

Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


ML	Maximum Limit		
mg/m3 milligrams per cubic meter			
NA Not Available			
ND	Not Determined		
NE	Not Established		
NF	Not Found		
NR	No Results		
ppm	parts per million		
SCBA	Self-Contained Breathing Apparatus		

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:						
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					

HAZARD RATINGS:

0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			
ACD	Acidic			
ALK	Alkaline			
COR	Corrosive			
₩	Use No Water			
ох	Oxidizer			
TREFOIL	Radioactive			



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s				
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal				
ppm	Concentration expressed in parts of material per million parts				
TD _{io}	Lowest dose to cause a symptom				
TCLo	Lowest concentration to cause a symptom				
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects				
TC, TC _o , LC _{lo} , & LC _o					
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
RTECS	Registry of Toxic Effects of Chemical Substances				
BCF	Bioconcentration Factor				
TL _m	Median threshold limit				
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution				

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NOHSC	National Occupational Health and Safety Commission (Australia)			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System			

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

	World Executive of the Executive Section (Williams) of the Emilian									
0	(4)	(②	(T)	®		R			
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F			
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive			

EC (67/548/EEC) INFORMATION:

The state of the s		M	*			X	X
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\Leftrightarrow		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment