HARBOR FREIGHT TOOLS

SAFETY DATA SHEET

Page 1 of 5 HFT-96780

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 7/29/2015 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: 1/4 LB WHITE POLISHING COMPOUND 12 Chemical Name Aluminum Oxide 1.3 Synonyms P/N 96780 14 Trade Names Harbor Freight Tools USA, Inc. 15 Product Uses & Restrictions **Buffing Compound** 1.6 Distributor's Name: Harbor Freight Tools USA, Inc. 1.7 Distributor's Address: 26541 Agoura Road, Calabasas, CA 91302 USA 1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 676687) Business Phone / Fax: 19 +1 (805) 388-1000 2. HAZARDS IDENTIFICATION This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS 2.1 Hazard Identification: according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. MAY BE HARMFUL IF INHALED. Classification: Skin Sens. 1B; Acute Tox. Inh. 5 Hazard Statements (H): H317 – May cause an allergic skin reaction. H333 – May be harmful if inhaled Precautionary Statements (P): P261 – Avoid breathing fume/mist/vapors/spray. P272 -Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/ eye protection/ face protection. P302+P352 - IF ON SKIN: Take off immediately all contaminated clothing. Rinse with water or shower. P333 + P313 - If skin irritation or rash occurs: get medical advice/attention. P304+P312 - Call a POINSON CENTER/doctor if you feel unwell. P321 - Specific treatment: see Section 4 of this Safety Data Sheet. P101 - If medical advice is needed, have product container or label on hand. P102 - Keep out or reach of children. P362+ P364 - Take off contaminated clothing and was before reuse. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA ppm ppm ppm ES-ES-ES-CHEMICAL NAME(S) RTECS No. EINECS No. TLV STEL PEL STEL IDLH OTHER CAS No. TWA PEAK % STEI BD1200000 215-691-6 60-100 1344-28-1 (10) NA NF NF NF (10) NA NA ALUMINUM OXIDE Skin Sens. 1B; Acute Tox. Inh. 5; H317, H333 61789-97-7 NA 263-099-1 10-30 NA NA NF NF NF NA NA NA TALLOW 67701-27-3 NA 266-945-8 5-10 NA NA NF NF NF NA NA NA GLYCERIDES, C14-18 4. FIRST AID MEASURES **DO NOT INDUCE VOMITING.** Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control First Aid: 41 Ingestion: Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. Eyes: Flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek immediate medical attention. Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek Skin: prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned. Inhalation: Remove victim to fresh air at once. If breathing is difficult, administer supplemental oxygen and seek immediate medical attention. If breathing stops, perform artificial respiration. 4.2 Effects of Exposure: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Ingestion: This product can cause transient mild eye irritation with short-term contact with liquid sprays or mists. Eyes: This product can cause mild, transient skin irritation with short-term exposure. Skin: Exposure may cause respiratory tract irritation in some sensitive individuals. Inhalation: Overexposure in eyes may cause redness, itching and watering (risk of serious damage to eyes). 43 Symptoms of Overexposure: Eyes: Contact may cause serious eye irritation including stinging, watering, redness. Prolonged contact with skin may result in bleaching and irritation of skin. The product can cause allergic Skin: skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. 4.4 Acute Health Effects: Moderate irritation to eves. Moderate irritation to skin near affected areas. Acute health hazards may be delayed. Most common symptoms include irritating properties to eyes, respiratory system and skin.

Page 2 of 5 HFT-96780

1

1

0

Х

SAFETY DATA SHEET HARBOR FREIGHT TOOLS Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 7/29/2015 FIRST AID MEASURES – cont'd 45 Chronic Health Effects No harmful or chronic health effects are expected to occur from a single accidental ingestion. These ingredients may be irritating to skin and mucous membrane of the eye and respiratory system. Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis. 4.6 Target Organs: Eyes, Skin, Respiratory System, Central Nervous System (CNS), Kidneys 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the HEALTH Aggravated by Exposure target organs (eyes, skin) or impaired kidney function may be more FLAMMABILITY susceptible to the effects of this substance. PHYSICAL HAZARDS **PROTECTIVE EQUIPMENT** EYES SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: None for new and unused store material. Will not burn, but decomposition may be caused by heat, will release oxygen Dried polishing compound and buffing wheel lint and debris may make the mix combustible. Treat as an oil fire. 5.2 Extinguishing Methods: Foam, CO₂, Water Fog, Dry Chemical 5.3 Firefighting Procedures: Fight fires as for surrounding materials. Firefighters should wear a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Cool containers with water spray to prevent pressure build-up, auto-ignition or explosion. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES Spills Equipment. clothing and wash thoroughly before reuse. 7. HANDLING & STORAGE INFORMATION

LUNGS

6.1 Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of drains, municipal sewers and open bodies of water.

7.1	Work & Hygiene Practices:	Use normal hygiene practices. Avoid direct skin contact. Wash hands thoroughly after using this product and before eating, drinking, or smoking. Good personal hygiene practices, such as washing any skin contact areas and removing contaminated clothing, are recommended.
7.2	Storage & Handling:	Keep away from sources of heat.
7.3	Special Precautions:	Follow all instructions on product label. Keep container closed when not in use. Keep this and all chemicals out of reach of children.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1	Exposure Limits:		AC	GIH		NOHSC			OSHA		OTHER
	ppm (mg/m ³)	CHEMICAL NAME(S)	TLV	STEL	ES- TWA	ES-STEL	ES- PEAK	PEL	STEL	IDLH	
		ALUMINUM OXIDE	(10)	NA	NF	NF	NF	(10)	NA	NA	
8.2	Ventilation & Engineering Controls:	exhaust ventilation to effectively rel	teneral mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general xhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this roduct. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).								
8.3	Respiratory Protection:	No special respiratory protection is required under typical circumstances of use or handling. In instances where mist or vapors of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.									
8.4	Eye Protection:	Wear protective eyewear (e.g., safe product. Always use protective eyew shield if splashing or spraying is an may absorb and concentrate irritants eye protection tested and approved or EN 166(EU).	wear wl iticipate s. Have	nen clear d. Conta suitable	ing spills act lense eye wasl	or leaks. s pose a s n water av	Wear (special ailable.	goggles hazard; Use eq	and/or fa soft len quipment	ace ses for	

HARBOR FREIGHT TOOLS

10.1

Stability:

SAFETY DATA SHEET

Page 3 of 5 HFT-96780

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1

SDS Revision Date: 7/29/2015

5 Hand P	Protection:	EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd Use gloves constructed of chemical-resistant materials such as peoprepa or heavy nitrile rubber if	
		Use gloves constructed of chemical-resistant materials such as neoprene or heavy nitrile rubber if frequent or prolonged contact is expected. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, or the EU member states.	
8.6 Body P	Protection:	Avoid prolonged and/or repeated skin contact. Use clean and impervious protective clothing (e.g., neoprene or Tyvek [®]) if splashing or spraying conditions are present. Protective clothing should include long-sleeves, apron, boots and additional facial protection. If necessary, refer to appropriate standards of Canada, the EU member states, or U.S. OSHA.	
		9. PHYSICAL & CHEMICAL PROPERTIES	
9.1 Appear	irance:	Premolded cake form white color	

9.1	Appearance:	Premolded cake form, white color
9.2	Odor:	Tallow odor
9.3	Odor Threshold:	ΝΑ
9.4	pH:	NA
9.5	Melting Point/Freezing Point:	62.7 °C (145 °F)
9.6	Initial Boiling Point/Boiling Range:	NA
9.7	Flashpoint:	NA
9.8	Upper/Lower Flammability Limits:	NA
9.9	Vapor Pressure:	ΝΑ
9.10	Vapor Density:	ΝΑ
9.11	Relative Density:	ΝΑ
9.12	Solubility:	Negligible. (soluble in alkaline cleaner or chlorinated solvents)
9.13	Partition Coefficient (log Pow):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	NA
9.17	Other Information:	NA

10. STABILITY & REACTIVITY				
	Stable under normal conditions of use.			
composition	Carbon monoxide, carbon dioxide and irritant vapors or gases.			

		11. TOXICOLOGICAL INFORMATION		
10.5	10.5 Incompatible Substances: Strong oxidizing agents, strong acids and bases.			
10.4	Conditions to Avoid:	Strong oxidizers.		
10.3	10.3 Hazardous Polymerization: Will not occur.			
10.2	Hazardous Decomposition Products:	Carbon monoxide, carbon dioxide and irritant vapors or gases.		

		TI. TUXICULUGICAL			1		
11.1	Routes of Entry:	Inhalation: YES	Absorption:	YES	Ingestion: YES		
11.2	Toxicity Data:	This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product which are found in the scientific literature, but have not been presented in this document.					
11.3	Acute Toxicity:	See Section 4.5	See Section 4.5				
11.4	Chronic Toxicity:	See Section 4.6	See Section 4.6				
11.5	Suspected Carcinogen:	NA					
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.					
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.					
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.					
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.					
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.					
11.7	Irritancy of Product:	The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.					
11.8	Biological Exposure Indices:	NE					
11.9	Physician Recommendations:	Treat symptomatically.					

	12. ECOLOGICAL INFORMATION				
12.1	Environmental Stability:	There are no specific data available for this product.			
12.2	Effects on Plants & Animals:	There are no specific data available for this product.			
12.3	Effects on Aquatic Life:	There are no specific data available for this product.			

13. DISPOSAL CONSIDERATIONS				
13.1 W	Waste Disposal:	Dispose of in accordance with federal, state, provincial and local regulations.		
13.2 S	Special Considerations:	NA		

HARBOR FREIGHT TOOLS

SAFETY DATA SHEET

Page 4 of 5 HFT-96780

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1

SDS Revision Date: 7/29/2015

Prepa	ared to OSHA, ACC, ANSI, N	OHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 7/29/2015				
		14. TRANSPORTATION INFORMATION				
	riptive information may be	nber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.				
14.1	49 CFR (GND):	NOT REGULATED				
14.2	IATA (AIR)*:	NOT REGULATED				
14.3	IMDG (OCN):	NOT REGULATED				
14.4	TDGR (Canadian GND):	NOT REGULATED				
14.5	ADR/RID (EU):	NOT REGULATED				
14.6	SCT (MEXICO):	NOT REGULATED				
14.7	ADGR (AUS):	NOT REGULATED				
		15. REGULATORY INFORMATION				
15.1	1 SARA Reporting Requirements: This product contains <u>Alumina (Aluminum Oxide)</u> , a substance subject to SARA Title III, Section 313 reportin requirements.					
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.				
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory or are otherwise exempt.				
15.4	CERCLA Reportable Quantity	NA				
15.5	(RQ): Other Federal Requirements:					
15.5	Other Federal Requirements.	None of the ingredients are listed as Hazardous Air Pollutants (HAPs). None of the ingredients are listed as Toxic Pollutants under the Clean Water Act (CWA). None of the ingredients are listed as Priority Pollutants under the Clean Water Act (CWA). This product does not contain any Class 1 or Class 2 ozone depletors.				
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects).				
15.7	State Regulatory Information:	Alumina (Aluminum Oxide) is found on the following state criteria list: Massachusetts Hazardous Substances List (MA, Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), and Washington Permissible Exposures List (WA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).				
15.8	Other Requirements:	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC: Harmful (Xn). <u>Risk Phrases</u> (R): 21 – Harmful in contact with skin. <u>Safety Phrases</u> (S): 2-23-24- 20/21-24/25 – Keep away from children. When using, do not eat, drink or smoke. Avoid contact with skin and eyes.				
		16. OTHER INFORMATION				
16.1	Other Information:	WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. MAY BE HARMFUL IF INHALED. Use only as directed. Avoid breathing fume/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/eye protection. IF ON SKIN: Take off immediately all contaminated clothing. Rinse with water or shower. If skin irritation or rash occurs: get medical advice/attention. Call a POINSON CENTER/doctor if you feel unwell. Specific treatment: see Section 4 of this Safety Data Sheet. If medical advice is needed, have product container or label on hand. Keep out or reach of children. Take off contaminated clothing and was before reuse. Store in a well- ventilated place. Keep cool. KEEP OUT OF REACH OF CHILDREN.				
16.2	Disclaimer:	See last page of this Safety Data Sheet.				
10.3		This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Harbor Freight Tools USA, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.				
16.4	Prepared for:	Harbor Freight Tools USA, Inc. 26541 Agoura Road Calabasas, CA 91302 USA Tel: +1 (805) 388-1000 http://www.harborfreight.com				
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com				

SAFETY DATA SHEET

Page 5 of 5 HFT-96780

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1

SDS Revision Date: 7/29/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:						
ACGIH	American Conference on Governmental Industrial Hygienists					
С	Ceiling Limit					
ES	Exposure Standard (Australia)					
IDLH	Immediately Dangerous to Life and Health					
OSHA	U.S. Occupational Safety and Health Administration					
PEL	Permissible Exposure Limit					
STEL	Short-Term Exposure Limit					
TLV	Threshold Limit Value					
TWA	Time Weighted Average					
FIRST AID M	FIRST AID MEASURES:					

CPR Cardiopulmonary resuscitation - method in which a person whose hear stopped receives manual chest compressions and breathing to circulate t and provide oxygen to the body.

HMIS	HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:						
0	Minimal Hazard		HEALTH				
1	Slight Hazard		FLAMMABILITY				
2	Moderate Hazard		PHYSICAL HAZARDS				
3	Severe Hazard		PERSONAL PROTECTION				
4	Extreme Hazard						

PERSONAL PROTECTION RATINGS:

Α					G	0				
в					н	0		品		
С	0		E.		I	0		8		
D	B		E.		J	0		Î	8	
Е					к	5				
F			E.		Х	Consult special I	your sup handling	ervisor o direction	r SOPs fo s.	
Sa	Safety Glasses		Splash Goggles			Face Shield & Protective Eyewea		Gloves		
	Boots		Syntheti	c Apron		tive Cloth	ing	Dust Res	pirator	
			8	3				Ť		
Full I	ace Respi	rator		apor Half- espirator		ull Face espirator	A	irline Hoo or SC		
отн	ER STAN	DARD		/IATIONS		-				
	ML	Maxim	um Limit							
mg/m3 milligrams per cubic mete				ibic meter						
	NA	Not Av	ailable							
	ND	Not De	etermined							
	NE	Not Es	tablished							
	NF	Not Fo	ound							
	NR	No Re	sults							


NE	Not Established						
NF	Not Found						
NR	NR No Results						
ppm parts per million							
SCBA	SCBA Self-Contained Breathing Apparatus						
NATIONAL FI	RE PROTECTION ASSOCIATION: NFPA						
FLAMMABILI	TY LIMITS IN AIR:						
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition						
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source						

UEL

Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

	CO	R	Corros	sive							·	1	₩ /	Y	
		₩	Use N		er					HE	ALT	+ /	×		
)X	Oxidiz										\sim		CIAL
	TREFO		Radio											PRE	CAUTIONS
	TOXICO														
rt has	TUNICUI							- 12 - 1 - 1	0 1:	:	ala la		- 6 41		
blood				LD ₅₀	s					-					ed animals
				LC ₅₀	Let	hal c	concent	ration	(gase	es) whic	ch kil	ls 50% o	f the exp	osec	l animal
				ppm	Concentration expressed in parts of material per million parts										
				TD _{lo}	Lov	vest	dose to	caus	e a s	ymptom	<u>ا</u>				
				CLo			concen				<u> </u>				
			D _{io} , & Ll LC _{io} , &		Lowest dose (or concentration) to cause lethal or toxic effects										
ON	10,108		L	Inte	ernat	ional A	gency	for R	lesearc	h on	Cancer				
				NTP	Nat	tiona	I Toxico	ology	Progr	am					
			RT	ECS	Reg	gistr	y of Tox	ic Effe	ects o	of Cherr	ical	Substand	ces		
				BCF	Bio	cond	centratio	on Fac	ctor						
				TLm	Me	dian	thresho	old lim	nit						
	log	Kow	, or log	Koc	Cor	effici	ent of C)il/Wa	ter Di	stributio	on				
	REGULA														
0	WHM							lous N	/ateri	al Infor	matio	on Syster	n		
66	DC	-			-		ranspo								
		с	Trans	-											
	EP						rotectio	on Aa	encv						
	DS						Substan								
	NOHS									v Com	nissi	on (Austi	ralia)		
							stic Sul						,		
7	PS	SL													
3	NDS PS TSC	A	Canadian Priority Substances List U.S. Toxic Substance Control Act												
OPs for	E	U		European Union (European Union Directive 67/548/EEC)											
01 3 10	WG					-	-					d Class)			
	HMIS-	·III		-								/aterials	Identific	ation	System
	WORKPI						-								-
	0	(۲) (<u>ð</u>)		Ð	Ċ	Ð	(۲			Ŕ
ator	Class A		Class B	(Class	С	Class	D1	Cla	ss D2	CI	ass D3	Class	E	Class F
	Compressed	F	lammable	e C	xidiziı	ng	Тох	ic	Irrit	ation	Inf	ectious	Corrosi	ve	Reactive
	EC (67/5	48/	EEC) I	NFO	RM/		DN:								
lask	È	Ι.	,			_					_			_	
					き		¥	2	ł	•	a 4		X		×
	С	T	E		F		N			0		т	Xi		Xn
	Corrosive	1	Explosive	e Fl	amma	able	Harn	nful	Oxi	dizing		Toxic	Irritan	t	Harmful
	CLP/GHS	S (1	272/2	008/E	C) F	PIC.	TOGR	AMS	:						
		<			2	<	3	μ.	UPU U		d D	(!)			
	011004	~	11000	0.11	202		11004	~	005	0110		011007	~	000	CLICOC

HAZARD RATINGS:						
0 Minimal Hazard						
1	Slight Hazard					
2 Moderate Hazard 3 Severe Hazard						
						4
ACD	Acidic					
ALK	Alkaline					
COR	Corrosive					
₩	Use No Water					
ох	Oxidizer					
TREFOIL Radioactive						
TOXICOLOGICAL INFORMATION:						



	ppm	Concentration expressed in parts of material per million parts					
	TD _{io}	Lowest dose to cause a symptom					
	TCLo	Lowest concentration to cause a symptom					
TD _{Io} , LI	D _{lo} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects					
TC, TC₀,	LC _{io} , & LC _o						
	IARC	International Agency for Research on Cancer					
	NTP	National Toxicology Program					
	RTECS	Registry of Toxic Effects of Chemical Substances					
	BCF	Bioconcentration Factor					
	TL _m	Median threshold limit					
log K _{ov}	v or log K _{oc}	Coefficient of Oil/Water Distribution					
REGULATO	DRY INFOR	MATION:					
WHMIS	IS Canadian Workplace Hazardous Material Information System						
DOT	U.S. Depart	ent of Transportation					
тс	Transport C	anada					
EPA	U.S. Enviror	mental Protection Agency					
DSL	Canadian D	omestic Substance List					
NOHSC	National Oc	cupational Health and Safety Commission (Australia)					
NDSL	Canadian N	on-Domestic Substance List					
PSL	PSL Canadian Priority Substances List						
TSCA	CA U.S. Toxic Substance Control Act						
EU	European U	nion (European Union Directive 67/548/EEC)					
WGK	Wassergefä	hrdungsklassen (German Water Hazard Class)					
HMIS-III	National Pa	nt & Coatings Association Hazardous Materials Identification System					

\bigcirc	۲		$\textcircled{\begin{subarray}{c} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	1	۲		R				
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F				
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive				
EC (67/548/EEC) INFORMATION:											

¶ <mark>≉</mark>		N.	¥	0		×	×
с	E	F	Ν	0	т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

			\Diamond			\Leftrightarrow		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment